

**BACTO DIFCO and BBL MICROBIOLOGY PRODUCTS**

Bacto BBL Difco Agar Broth Microbiology Media - Dealer Distributor Supplier

*sold worldwide by***VOIGT GLOBAL DISTRIBUTION INC**

PO Box 1130, Lawrence Kansas 66044 USA

Toll Free in the USA: 877-484-3552 or 1.785.393.8509

If sending a fax, please include your e-mail: E-Fax: 1-913-273-0458

USA Toll Free Fax: 877-484-3554

Outside the USA? Please use e-mail for quotations and tech support

Prices on this spreadsheet are the 2011-2012 USA list prices and do not include shipping charges.

ORDER Difco BBL online: <http://www.voigtglobal.com/manufacture/1369-BBL-Difco-Microbiology.asp>[sales@ISSS.biz](mailto:sales@ISSS.biz)[sales@VGDUSA.com](mailto:sales@VGDUSA.com)[www.voigtglobal.com](http://www.voigtglobal.com)[sales@VGDLLC.COM](mailto:sales@VGDLLC.COM)[WWW.ISSS.BIZ](http://WWW.ISSS.BIZ)[WWW.VGDLLC.COM](http://WWW.VGDLLC.COM)

BRAND	Current Item No.	DESCRIPTION	APPLICATION	SALE UNIT	2011-2012 USA Price
BBL	212203	7H11 Agar Base	Used in qualitative procedures for isolation and cultivation of mycobacteria, especially Mycobacterium tuberculosis, from clinical and nonclinical specimens.	500g	\$146.27
Difco	218231	A-1 Medium	Determination of fecal coliforms in water and foods.	500g	\$101.75
Difco	231710	AC Broth	For cultivating a wide variety of microorganisms; for use in the sterility testing of turbid or viscous solutions and other materials not containing mercurial preservatives.	500g	\$174.46
Difco	274210	Acetate Differential Agar	Differentiation of members of Shigella genus from Escherichia genus.	500g	\$200.55
BBL	211843	Acidicase Peptone	Hydrochloric Acid hydrolysis of casein.	500g	\$115.15
BBL	210920	Actinomyces Broth	For the maintenance or cultivation of Actinomyces species.	500g	\$345.56
Difco	212168	Actinomycetes Isolation Agar	Cultivation and maintenance of Actinomyces sp. from soil and water use with Glycerol.	500g	\$214.62
Difco	215710	Adonitol	Media Additive	10g	\$110.15
BBL	212304	Agar Grade A	Specially processed for microbiological purposes. It is routinely used as a solidifying agent in microbiological media.	454g	\$213.99
Difco	214520	Agar Granulated	Used as a solidifying agent for culture media. Carefully monitored for cultural response, solubility and gelation temperature.	10kg	\$2,390.64
Difco	214510	Agar Granulated	Used as a solidifying agent for culture media. Carefully monitored for cultural response, solubility and gelation temperature.	2Kg	\$490.56
Difco	214530	Agar Granulated	Used as a solidifying agent for culture media. Carefully monitored for cultural response, solubility and gelation temperature.	500g	\$122.75
Difco	214220	Agar Noble	Solidifying agent essentially free of impurities used for electrophoretic and nutritional procedures wherever increased purity is required.	100g	\$156.87
Difco	214230	Agar Noble	Solidifying agent essentially free of impurities used for electrophoretic and nutritional procedures wherever increased purity is required.	500g	\$356.58
BBL	299341	Agar Select	Used as a solidifying agent for culture media. Carefully monitored for cultural response, solubility and gelation temperature.	5 Lbs	\$898.28

BBL	299340	Agar Select	Used as a solidifying agent for culture media. Carefully monitored for cultural response, solubility and gelation temperature.	500g	\$200.03
Difco	281210	Agar Technical	Solidifying agent for bacteriological culture media that do not have the exacting requirements as those for Bacto Agar. Carefully monitored for solubility, gelation temperature and other characteristics.	2Kg	\$379.37
Difco	281230	Agar Technical	Solidifying agent for bacteriological culture media that do not have the exacting requirements as those for Bacto Agar. Carefully monitored for solubility, gelation temperature and other characteristics.	500g	\$94.92
BBL	210912	AK Agar 2 Sporulating Agar	Culture medium for the preparation of spore suspensions for use in procedures for the detection of antibiotic residues in milk and dairy products.	500g	\$147.84
Difco	218151	Anaerobe Broth	Susceptibility testing by the broth dilution technique.	500g	\$211.05
Difco	253610	Anaerobic Agar	General purpose medium for anaerobic bacteria	500g	\$149.52
Difco	224310	Antibiotic Medium 3	"Used for determining antibiotic potency by the microbiological assay technique."	2Kg	\$396.90
Difco	224320	Antibiotic Medium 3	"Used for determining antibiotic potency by the microbiological assay technique."	500g	\$99.33
Difco	226340	Antibiotic Medium 1	Penassay Seed Agar Microbiological assay of antibiotics.	500g	\$122.33
Difco	246310	Antibiotic Medium 10	Polymyxin Base Agar Microbiological assay of antibiotics.	500g	\$124.43
Difco	266910	Antibiotic Medium 12	Microbiological assay of antibiotics.	500g	\$142.70
Difco	243100	Antibiotic Medium 19	Microbiological assay of antibiotics.	500g	\$125.79
Difco	227020	Antibiotic Medium 2	Microbiological assay of antibiotics.	500g	\$126.11
Difco	224410	Antibiotic Medium 4	Yeast beef agar microbiological assay of antibiotics.	500g	\$143.12
Difco	227710	Antibiotic Medium 5	Streptomycin assay agar microbiological assay of antibiotics.	500g	\$140.28
Difco	266710	Antibiotic Medium 8	Microbiological assay of antibiotics.	500g	\$124.43
Difco	246210	Antibiotic Medium 9	Polymyxin base agar microbiological assay of antibiotics.	500g	\$124.43
Difco	259310	Antibiotic Medium 11	Erythromycin/Neomycin agar microbiological assay of antibiotics.	500g	\$99.33
Difco	233331	Antimicrobial A	Used in the preparation of Bacto™ Cooke Rose Bengal Agar.	6x10mL	\$128.31
Difco	233391	Antimicrobial K	Used in the preparation of SFP Agar Base.	6x10mL	\$153.30
Difco	265430	APT Agar	For cultivating heterofermentative lactobacilli and other organisms requiring high thiamine content	500g	\$110.78
Difco	265510	APT Broth	For cultivating heterofermentative lactobacilli and other organisms requiring high thiamine content	500g	\$88.41
Difco	215920	Arabinose	Media Additive	100g	\$206.75
Difco	215910	Arabinose	Media Additive	25g	\$100.28
Difco	214410	Asparagine	Media Additive	500g	\$313.64
Difco	240920	Azide Blood Agar Base	Isolation of streptococci and staphylococci; for use with blood in determining hemolytic reactions	500g	\$206.96
Difco	238710	Azide Dextrose Broth	Selective isolation of streptococci from water and sewage.	500g	\$84.32

Difco	245710	B12 Assay Medium USP	For use in USP and AOAC methods for microbiological assay of Vitamin B12.	100g	\$71.30
Difco	254110	B12 Culture Agar USP	To maintain cultures of Lactobacillus delbrueckii ATCC™ 7830 for use in USP and AOAC methods for microbiological assay of Vitamin B12.	100g	\$82.32
Difco	254210	B12 Inoculum Broth	To prepare the inoculum of Lactobacillus delbrueckii ATCC™ 7830 for use in USP and AOAC methods for microbiological assay of Vitamin B12.	100g	\$71.51
Bacto	214050	Bacto Agar	A solidifying agent, is a purified agar in which	100g	\$91.56
Bacto	214010	Bacto Agar	extraneous matter, pigmented portions and salts are reduced to a minimum.	454g	\$189.00
Bacto	214030	Bacto Agar	A solidifying agent, is a purified agar in which extraneous matter, pigmented portions and salts are reduced to a minimum.	2Kg	\$789.29
Bacto	214040	Bacto Agar	A solidifying agent, is a purified agar in which extraneous matter, pigmented portions and salts are reduced to a minimum.	10Kg	\$3,914.40
Bacto	211830	Bacto Peptone	An enzymatic digest of animal protein	10Kg	\$1,908.81
Bacto	211820	Bacto Peptone	An enzymatic digest of animal protein	2Kg	\$393.28
Bacto	211677	Bacto Peptone	An enzymatic digest of animal protein	500g	\$100.13
Bacto	211825	Bacto TSB Casein Medium USP	Conforms with USP & EP Specifications	500g	\$55.13
Difco	276810	Baird Parker Agar Base	Use with EY Tellurite Enrichment for the detection and enumeration of coagulase positive staphylococci in foods and other materials.	2Kg	\$883.89
Difco	276840	Baird Parker Agar Base	Use with EY Tellurite Enrichment for the detection and enumeration of coagulase positive staphylococci in foods and other materials.	500g	\$240.87
BBL	212327	BCYE Agar Base	Used in qualitative procedures for isolation of Legionella species from clinical specimens and nonclinical (environmental) samples.	500g	\$403.20
Difco	212610	Beef Extract	Used to replace infusions of meat	500g	\$178.90
Bacto	211520	Beef Extract Desiccated	Desiccated Dried form Used to replace infusions of meat.	500g	\$128.88
BBL	212303	Beef Extract Powder	"Used in preparing microbiological culturemedia."	500g	\$168.50
Difco	213210	Beef Heart for Infusion	Desiccated powder of beef heart.	500g	\$313.64
Difco	271710	BG Sulfa Agar	Brilliant Green Selective isolation of Salmonella	500g	\$119.70
BBL	211027	Biggy Agar	A selective and differential medium used in the detection, isolation and presumptive identification of Candida species.	500g	\$181.97
Difco	299068	Bile Esculin Agar	Differential isolation and presumptive identification of group D streptococci.	500g	\$145.11
Difco	213010	Bile Salts No 3	Selective agent, inhibits gram-positive organisms	100g	\$168.21
Difco	213020	Bile Salts No 3	Selective agent, inhibits gram-positive organisms	500g	\$381.57
BBL	294312	Biosate Peptone	"Used as a component in microbiologicalculture media or in fermentation applications."	25 Lbs	\$1,472.00
BBL	211862	Biosate Peptone	"Used as a component in microbiologicalculture media or in fermentation applications."	454g	\$133.04
Difco	241910	Biotin Assay Medium	For microbiological assay of biotin.	100g	\$59.96

Difco	273300	Bismuth Sulfite Agar	For selective isolation of Salmonella, particularly Salmonella typhi, from food and clinical specimens.	500g	\$130.52
BBL	211037	Blood Agar Base	Used for the isolation, cultivation and detection of hemolytic activity of streptococci and other fastidious microorganisms.	500g	\$145.22
Difco	248200	Bordet Gengou Agar Base	Enriched with defibrinated blood for the isolation of B. pertussis and other Bordetella species	500g	\$133.25
Difco	266810	Bovine Albumin 5%	Used to enrich media for cultivating a large variety of microorganisms and tissue cells	12x20mL	\$169.79
BBL	211968	Bovine Albumin Fraction V	0.2% in 0.85% saline.	10x10mL	\$38.54
BBL	211057	Brain Heart CC Agar	For the isolation of pathogenic fungi from specimens heavily contaminated with bacteria and saprophytic fungi.	500g	\$225.23
BBL	211059	Brain Heart Infusion	Cultivation of fastidious microorganisms, including streptococci, pneumococci and meningococci.	500g	\$110.99
Bacto	237400	Brain Heart Infusion	Cultivation of fastidious microorganisms, including streptococci, pneumococci and meningococci.	100g	\$46.94
Bacto	237300	Brain Heart Infusion	Cultivation of fastidious microorganisms, including streptococci, pneumococci and meningococci.	10Kg	\$2,239.16
BBL	211061	Brain Heart Infusion	Cultivation of fastidious microorganisms, including streptococci, pneumococci and meningococci.	25 Lbs	\$2,687.90
Bacto	237200	Brain Heart Infusion	Cultivation of fastidious microorganisms, including streptococci, pneumococci and meningococci.	2Kg	\$424.62
BBL	211060	Brain Heart Infusion	Cultivation of fastidious microorganisms, including streptococci, pneumococci and meningococci.	5 Lbs	\$546.21
Bacto	237500	Brain Heart Infusion	Cultivation of fastidious microorganisms, including streptococci, pneumococci and meningococci.	500g	\$106.05
BBL	211065	Brain Heart Infusion Agar	Cultivation of fastidious microorganisms, especially fungi and yeasts; for use with added antibiotics in isolating fungi.	500g	\$157.19
Difco	241820	Brain Heart Infusion Agar	Cultivation of fastidious microorganisms, especially fungi and yeasts; for use with added antibiotics in isolating fungi.	100g	\$66.57
Difco	241830	Brain Heart Infusion Agar	Cultivation of fastidious microorganisms, especially fungi and yeasts; for use with added antibiotics in isolating fungi.	500g	\$152.46
BBL	299069	Brain Heart Infusion Agar, Modified	Used in the cultivation of fastidious and nonfastidious microorganisms, including aerobic and anaerobic bacteria, from a variety of clinical and nonclinical materials.	500g	\$166.74
BBL	299070	Brain Heart Infusion Broth Modified	Used in the cultivation of fastidious and nonfastidious microorganisms, including aerobic and anaerobic bacteria, from a variety of clinical and nonclinical materials.	500g	\$125.27
Bacto	256120	Brain Heart Infusion Porcine	Cultivation of fastidious microorganisms using porcine as an alternate peptone source.	500g	\$128.00
Difco	249910	Brain Heart Infusion with PABA & Agar	Modification of Brain Heart Infusion used for blood cultures, particularly with blood containing sulfonamides.	500g	\$155.72

BBL	211069	Brain Heart Infusion with PABA	Modification of Brain Heart Infusion used for blood cultures, particularly with blood containing sulfonamides.	500g	\$147.84
Difco	227920	Brewer Anaerobic Agar	Cultivation of anaerobic and microaerophilic organisms.	500g	\$124.11
Difco	228530	Brilliant Green Agar	For the isolation of Salmonella other than S. typhi from feces and other materials	500g	\$107.10
Difco	218801	Brilliant Green Agar Mold	Selective medium for the isolation of Salmonella from water, sewage and foodstuffs.	500g	\$103.64
Difco	273000	Brilliant Green Bile 2%	Standard Methods medium for confirmed and completed tests for coliform bacteria in water and foods.	100g	\$69.62
Difco	271000	Brilliant Green Bile 2%	Standard Methods medium for confirmed and completed tests for coliform bacteria in water and foods.	2Kg	\$391.97
Difco	274000	Brilliant Green Bile 2%	Standard Methods medium for confirmed and completed tests for coliform bacteria in water and foods.	500g	\$103.85
Difco	214100	Brilliant Green Bile Agar	Selective differentiation of coliform bacteria	500g	\$168.74
BBL	220110	Brom Cresol Purple	Media Additive	5g	\$93.98
Difco	211731	Brom Thymol Blue	Media Additive	5g	\$93.98
BBL	211086	Brucella Agar	"Is a culture medium for the cultivation of Brucellaorganisms."	500g	\$147.84
BBL	211088	Brucella Broth	"Is a culture medium for the cultivation of Brucellaorganisms."	500g	\$118.76
Difco	290720	Buffered Listeria Enrich	Used for the isolation of Listeria.	500g	\$58.38
Difco	218104	Buffered Peptone Water	For injured Salmonella in food.	10Kg	\$1,632.02
Difco	218103	Buffered Peptone Water	For injured Salmonella in food.	2Kg	\$341.67
BBL	212345	Buffered Peptone Water	For injured Salmonella in food.	5 Lbs	\$429.98
BBL	212367	Buffered Peptone Water	For injured Salmonella in food.	500g	\$94.71
Difco	218105	Buffered Peptone Water	For injured Salmonella in food.	500g	\$89.99
Difco	214890	Campy Antimicrobial Supplement Blaser	Each vial when reconstituted to prepare 500 mL of Campylobacter Agar, Blaser formulation	6x5mL	\$242.13
Difco	214891	Campy Antimicrobial Supplement Skirro	Each vial when reconstituted to prepare 500 mL of Campylobacter Agar, Skirrow formulation	6x5mL	\$273.84
Difco	218201	Campylobacter Agar Base	For use with blood and antibiotics in isolating and cultivating Campylobacter.	2Kg	\$483.95
Difco	283510	Candida BCG Agar Base	For use with added neomycin for the primary isolation and identification of Candida sp.	500g	\$163.28
BBL	211102	Cary-Blair Transport Medium	For collecting, transporting and preserving microbiological specimens, particularly Vibrio cholerae.	500g	\$121.91
Bacto	223030	Casamino Acids	Acid hydrolyzed casein having low sodium chloride and iron concentrations. Suitable for use in diphtheria toxin production.	10Kg	\$4,931.24
Bacto	223020	Casamino Acids	Acid hydrolyzed casein having low sodium chloride and iron concentrations. Suitable for use in diphtheria toxin production.	2Kg	\$951.69
Bacto	223050	Casamino Acids	Acid hydrolyzed casein having low sodium chloride and iron concentrations. Suitable for use in diphtheria toxin production.	500g	\$285.19
Bacto	223110	Casamino Acids Technical	Acid hydrolyzed casein having low sodium chloride and iron concentrations. Suitable for use in diphtheria toxin production.	10Kg	\$1,719.70

Bacto	223120	Casamino Acids Technical	Acid hydrolyzed casein having low sodium chloride and iron concentrations. Suitable for use in diphtheria toxin production.	500g	\$96.92
Bacto	228820	Casamino Acids Vitamin Assay	Acid digest of casein specifically treated to remove certain vitamins.	100g	\$106.22
Bacto	228830	Casamino Acids Vitamin Assay	Acid digest of casein specifically treated to remove certain vitamins.	500g	\$451.10
Difco	211610	Casein Digest	Enzymatic digest of casein for molecular genetics	500g	\$206.55
Bacto	225910	Casitone	Used in preparing microbiological culture media	10Kg	\$3,058.59
Bacto	225930	Casitone	Used in preparing microbiological culture media	500g	\$155.00
BBL	211106	Casman Agar Base	Used for the cultivation of fastidious pathogenic organisms.	500g	\$147.84
Difco	216010	Cellobiose	Media Additive	25g	\$128.00
Difco	285420	Cetrimide Agar Base	Selective isolation and identification of P. aeruginosa.	500g	\$141.54
Difco	211805	Chapman Stone Medium	Selective isolation of staphylococci based on mannitol fermentation and gelatinase activity	500g	\$198.69
Difco	289410	Charcoal Agar	Cultivation of fastidious organisms, particularly B. pertussis for vaccine production and stock culture maintenance.	500g	\$186.06
Difco	246010	Choline Assay Medium	Microbiological assay of choline.	100g	\$93.77
BBL	212218	Cled Agar	Enzymatic digest of protein.	500g	\$146.27
BBL	240658	Coagulase Plasma Rabbit	Used to qualitatively determine the pathogenicity of staphylococci using the direct tube method	10 x 3mL	\$85.66
BBL	240827	Coagulase Plasma Rabbit EDTA	Used to qualitatively determine the pathogenicity of staphylococci using the direct tube method	10 x 3mL	\$85.66
BBL	211116	Coagulase Mannitol Agar	Used for the differentiation of Staphylococcus aureus from other species based on coagulase production and mannitol utilization.	500g	\$181.97
BBL	211126	Columbia Agar Base	Base medium used with or without blood for cultivation of fastidious microorganisms	25 Lbs	\$2,373.00
BBL	211125	Columbia Agar Base	Base medium used with or without blood for cultivation of fastidious microorganisms	5 Lbs	\$483.42
BBL	211124	Columbia Agar Base	Base medium used with or without blood for cultivation of fastidious microorganisms	500g	\$98.70
Difco	279230	Columbia Blood Agar Base	Base Infusion free basal medium used with or without blood for cultivation of fastidious microorganisms.	10Kg	\$1,638.32
Difco	279220	Columbia Blood Agar Base	Base Infusion free basal medium used with or without blood for cultivation of fastidious microorganisms.	2Kg	\$336.00
Difco	279240	Columbia Blood Agar Base	Base Infusion free basal medium used with or without blood for cultivation of fastidious microorganisms.	500g	\$88.41
Difco	279020	Columbia Blood Agar Base EH	EH Infusion-free basal medium used with blood for enhanced beta-hemolytic reactions after overnight incubation and for cultivation of fastidious microorganisms.	10Kg	\$1,840.13
Difco	279010	Columbia Blood Agar Base EH	EH Infusion-free basal medium used with blood for enhanced beta-hemolytic reactions after overnight incubation and for cultivation of fastidious microorganisms.	2Kg	\$377.48

Difco	279030	Columbia Blood Agar Base EH	EH Infusion-free basal medium used with blood for enhanced beta-hemolytic reactions after overnight incubation and for cultivation of fastidious microorganisms.	500g	\$99.54
Difco	294420	Columbia Broth	Cultivation of fastidious microorganisms	500g	\$108.15
BBL	212104	Columbia CNA Agar	Use with blood for selective isolation of gram-positive cocci.	500g	\$133.14
BBL	212249	Columbia CNA Agar	Use with blood for selective isolation of gram-positive cocci.	25 Lbs	\$3,241.88
BBL	294221	Columbia CNA Agar	Use with blood for selective isolation of gram-positive cocci.	5 Lbs	\$657.41
Difco	270310	Cooked Rose Bengal Agar	Use with or without Antimicrobial Vial A. For the selective isolation of fungi from environmental and food specimens.	500g	\$158.34
Difco	226730	Cooked Meat Medium	Cultivation of anaerobic bacteria and maintenance of stock cultures.	500g	\$333.17
BBL	211132	Corn Meal Agar	General purpose medium for the cultivation of fungi, with the incorporation of polysorbate 80, utilized for the testing of Candida species for their ability to produce chlamyospores.	500g	\$167.37
BBL	211094	CTA Agar	Used for carbohydrate fermentation tests with corynebacteria and especially for differentiation of C. diphtheriae from related species	500g	\$248.64
BBL	211096	CTA Medium	"For the maintenance of microorganisms, as well as for the detection of bacterial motility."	500g	\$106.62
Difco	246710	Cystine Assay Medium	Microbiological assay of L-cystine.	100g	\$159.18
Difco	252310	Cystine Tryptic Agar	Use with added carbohydrates in differentiating microorganisms based on fermentation reactions and motility.	500g	\$124.38
Difco	233810	Czapek Dox Broth	Defined medium for cultivation of organisms capable of utilizing inorganic nitrogen.	500g	\$72.66
Difco	233910	Czapek Solution Agar	Defined medium for cultivation of fungi and bacteria capable of utilizing inorganic nitrogen	500g	\$106.26
BBL	211144	DCLS Agar	Is a moderately selective culture medium for the isolation of Salmonella and Shigella from fecal specimens.	500g	\$117.60
Difco	287220	Decarboxylase Medium Base	Use with added amino acid in differentiating bacteria based on amino acid decarboxylation.	500g	\$118.44
Difco	265310	Demi-Fraser Broth Base	For use with Fraser Broth Supplement in selectively and differentially enriching Listeria	10Kg	\$1,136.73
BBL	212330	Dermatophyte Test Medium Base	Selective and differential medium used for the detection and presumptive identification of dermatophytes from clinical and veterinary specimens.	500g	\$231.00
Difco	227310	Desoxycholate Agar	Differential selective medium for the isolation of gram-negative enteric bacilli	500g	\$86.10
Difco	227410	Desoxycholate Citrate Agar	Selective isolation of enteric pathogens, particularly Salmonella and Shigella.	500g	\$135.14
Difco	242010	Desoxycholate Lactose Agar	For isolating and differentiating gram-negative enteric bacilli; for enumerating coliforms from water, wastewater, milk and dairy products.	500g	\$86.10
Difco	215520	Dextrose	Media Additive	10Kg	\$425.15

Difco	215510	Dextrose	Media Additive	2Kg	\$94.50
Difco	215530	Dextrose	Media Additive	500g	\$34.76
Difco	267100	Dextrose Agar	Use with or without blood to cultivate a wide variety of microorganism	500g	\$158.34
Difco	263100	Dextrose Broth	Cultivation of fastidious microorganisms	500g	\$105.00
Difco	266200	Dextrose Starch Agar	Propagation of <i>N. gonorrhoeae</i> and other fastidious microorganisms.	500g	\$129.78
BBL	280100	Dextrose Tryptone Agar	Cultivation of thermophilic "flat-sour" microorganisms associated with food spoilage	500g	\$111.83
Difco	264120	Differential Reinforced Clostridial Agar	For enumeration and cultivation of sulfate-reducing Clostridia in foods.	500g	\$127.37
BBL	211179	Dnase Test Agar	Used for the detection of deoxyribonuclease activity to aid in the identification of bacteria isolated from clinical specimens	500g	\$153.46
Difco	263220	Dnase Test Agar	Used for the detection of deoxyribonuclease activity to aid in the identification of bacteria isolated from clinical specimens	500g	\$123.38
Difco	222020	Dnase Test Agar with Methyl Green	Differentiation of <i>S. aureus</i> and <i>S. marcescens</i> from organisms with similar characteristics	500g	\$157.92
BBL	299081	Dnase Test with Toluidine Blue	Used for the detection of deoxyribonuclease activity to aid in the identification of bacteria isolated from clinical specimens	500g	\$306.93
Difco	258710	DRBC Agar (Dichloran Rose Bengal Chloramphenicol)	Supports good growth of yeasts and molds while inhibiting bacteria and the spreading of rapidly growing molds.	500g	\$104.48
Difco	238510	Dubos Broth Base	Use with Dubos Medium Albumin for cultivation of pure cultures of <i>M. tuberculosis</i> .	500g	\$160.44
Difco	230910	Dubos Medium Albumin	Supplement used for rapidly cultivating pure cultures of <i>Mycobacterium tuberculosis</i> .	12x20mL	\$158.13
Difco	237310	Dubos Oleic Agar Base	Isolation of <i>M. tuberculosis</i> and determination of its sensitivity to therapeutic agents	500g	\$205.38
Difco	237510	Dubos Oleic Albumin Complex	Use with Dubos Oleic Agar Base for isolation of <i>M. tuberculosis</i> ; 0.05% alkalized oleic acid with 5% albumin fraction V in normal saline.	12x20mL	\$167.58
Difco	216210	Dulcitol Galactitol	Media Additive	100g	\$171.15
Difco	231420	EC Medium	Differentiation and enumeration of fecal and nonfecal coliforms in water, wastewater, shellfish and foods.	100g	\$81.48
Difco	231410	EC Medium	Differentiation and enumeration of fecal and nonfecal coliforms in water, wastewater, shellfish and foods.	10Kg	\$2,039.10
Difco	231430	EC Medium	Differentiation and enumeration of fecal and nonfecal coliforms in water, wastewater, shellfish and foods.	500g	\$146.37
Difco	234010	EC Medium Modified	For preenrichment of food samples prior to detection of <i>E. coli</i> 0157. Use with Novobiocin Antimicrobial Supplement.	2Kg	\$408.77
Difco	234020	EC Medium Modified	For preenrichment of food samples prior to detection of <i>E. coli</i> 0157. Use with Novobiocin Antimicrobial Supplement.	500g	\$110.78
Difco	222100	EC Medium with Mug	Used for detecting <i>Escherichia coli</i> in water, food and milk.	100g	\$176.61
Difco	222200	EC Medium with Mug	Used for detecting <i>Escherichia coli</i> in water, food and milk.	500g	\$437.33

Difco	256620	EE Broth Mossel	Selective enrichment for Enterobacteriaceae particularly from foods.	500g	\$137.76
Difco	233471	Egg Yolk Enrichment 50%	For isolating and detecting Clostridium perfringens in foods based on the lecithinase reaction.	12x10mL	\$167.37
Difco	233472	Egg Yolk Enrichment 50%	For isolating and detecting Clostridium perfringens in foods based on the lecithinase reaction.	6x100mL	\$296.63
BBL	212357	Egg Yolk Tellurite Enrichment	Selective isolation and enumeration of coagulase positive staphylococci from food, skin, soil, air and other materials.	100mL	\$190.16
Difco	212183	Elliker Broth	Cultivation of lactobacilli and streptococci.	500g	\$154.98
BBL	211199	Endo Agar	For the detection of coliform and other enteric microorganisms.	500g	\$141.02
Difco	218281	Enteric Fermentation Base	Use with Andrade's Indicator to determine fermentation reactions.	500g	\$298.85
BBL	212205	Enterococcosel Agar	Differential isolation and presumptive identification of enterococci.	500g	\$172.31
BBL	212207	Enterococcosel Broth	Presumptive identification of enterococci	500g	\$192.89
BBL	211215	Eosin Methylene Blue Agar, Modified (Holt-Harris & Teague)	For isolating and differentiating lactose-fermenting from lactose-nonfermenting gram-negative enteric bacilli.	500g	\$100.59
Difco	215810	Esculin	Media Additive	10g	\$181.23
Difco	248810	Esculin Iron Agar	Used with m E Agar for enumerating esculin-hydrolyzing organisms.	100g	\$91.88
Difco	258910	Eugon Agar	For cultivation of a variety of organisms. Well suited for large scale vaccine production	500g	\$128.00
Difco	259010	Eugon Broth	For cultivation of a variety of organisms. Well suited for large scale vaccine production	500g	\$122.12
Difco	212107	EVA Broth	Detection and confirmation of enterococci in water.	500g	\$177.69
BBL	277910	EY Tellurite Enrichment	Selective isolation and enumeration of coagulase positive staphylococci from food, skin, soil, air and other materials.	6x100mL	\$236.25
Difco	223142	FA Buffer Dried	For use with fluorescent antibody reagents.	100g	\$33.39
Difco	223143	FA Buffer Dried 6x10g	For use with fluorescent antibody reagents.	6x10g	\$56.54
BBL	211866	Fildes Enrichment	May be used to enrich a variety of media for the cultivation of various microorganisms	10x5mL	\$59.54
Difco	298710	Fletcher Medium Base	Use with sterile normal rabbit serum for isolation, cultivation and maintenance of Leptospira Flo Agar.	500g	\$205.17
Difco	264210	Fluid Sabouraud Medium	Use for detection of yeasts and molds in sterility procedures.	500g	\$80.25
Difco	269710	Fluid Thioglycolate with Beef Extract	Fluid Recommended by the Agricultural Research Service.	10Kg	\$1,890.11
BBL	211727	Fluid Thioglycolate without Dextrose	Fluid without Dextrose or Eh indicator Detection of a variety of microorganisms in normally sterile materials, especially those containing mercurial preservatives.	500g	\$175.98
BBL	211260	Fluid Thioglycollate Medium	Use for sterility testing.	500g	\$61.43
Difco	225630	Fluid Thioglycollate Medium	Use for sterility testing.	10Kg	\$1,138.10
Difco	225620	Fluid Thioglycollate Medium	Use for sterility testing.	2Kg	\$233.21
Difco	225640	Fluid Thioglycollate Medium	Use for sterility testing.	100g	\$30.45
BBL	211264	Fluid Thioglycollate Medium	Use for sterility testing.	25 Lbs	\$1,449.11
BBL	211263	Fluid Thioglycollate Medium	Use for sterility testing.	5 Lbs	\$298.94
Difco	225650	Fluid Thioglycollate Medium	Use for sterility testing.	500g	\$65.00

Difco	269720	Fluid Thioglycollate Medium with Beef Extract	Fluid Recommended by the Agricultural Research Service.	500g	\$127.37
Difco	231810	Folic Acid Assay Medium	Microbiological assay of folic acid.	100g	\$50.82
Difco	282210	Folic Acid Casei Medium	Microbiological assay of folic acid.	100g	\$71.82
Difco	212169	Folic AOAC Medium	Microbiological assay of folic acid.	100g	\$68.46
Difco	211766	Fraser Broth Base	Use with Fraser Broth Supplement Selective enrichment and detection of Listeria.	2Kg	\$384.51
Difco	211767	Fraser Broth Base	Use with Fraser Broth Supplement Selective enrichment and detection of Listeria.	500g	\$96.29
Difco	211742	Fraser Broth Supplement	Use with Fraser Broth Base, Ferric Ammonium Citrate.	6x10mL	\$78.75
Difco	263810	Freunds Complete Adjuvant	Formulation per 10mL ampule: Mannide Monooleate (1.5mL), Paraffin oil (8.5mL) and Mycobacterium butyricum (5mg)	6x10mL	\$89.25
Difco	263910	Freunds Incomplete Adjuvant	Formulation per 10mL ampule: Mannide Monooleate (1.5mL) and Paraffin oil (8.5mL)	6x10mL	\$60.55
BBL	211248	FTA Hemagglutination Buffer	Used in the FTA-ABS test and other serological procedures as a diluent and for washing slide preparations.	500g	\$65.31
Difco	216310	Galactose	Media Additive	500g	\$117.39
Difco	214320	Gelatin	Granulated gelatin for microbiological procedures	10Kg	\$1,048.74
Difco	214340	Gelatin	Granulated gelatin for microbiological procedures	500g	\$64.58
BBL	211870	Gelysate Peptone	Pancreatic digest of gelatin.	454g	\$97.59
BBL	219310	Crystal Violet, Gentian Violet	Media Additive	100g	\$136.50
Difco	218091	Giolitti-Cantoni Broth B	Use with Potassium Tellurite Solution 3.5% Selective enrichment for S. aureus isolation from food.	500g	\$78.54
Difco	228210	Glycerol	Highly purified alcohol used as a fixative, in bacterial preservation media and in the isolation and cultivation of many organisms.	100g	\$27.62
Difco	228220	Glycerol	Highly purified alcohol used as a fixative, in bacterial preservation media and in the isolation and cultivation of many organisms.	500g	\$98.60
Difco	248610	GN Broth Hajna	Selective cultivation of gram-negative organisms	500g	\$102.06
BBL	211279	GN Broth	Selective enrichment of Salmonella and Shigella	500g	\$111.72
Difco	211839	Heart Infusion Agar	Use with or without blood for the isolation and cultivation of a wide variety of microorganisms	10Kg	\$2,630.88
Difco	244100	Heart Infusion Agar	Use with or without blood for the isolation and cultivation of a wide variety of microorganisms	2Kg	\$540.02
Difco	244400	Heart Infusion Agar	Use with or without blood for the isolation and cultivation of a wide variety of microorganisms	500g	\$135.14
Bacto	238100	Heart Infusion Broth	Isolation and cultivation of a wide variety of fastidious microorganisms.	2Kg	\$540.02
Bacto	238400	Heart Infusion Broth	Isolation and cultivation of a wide variety of fastidious microorganisms.	500g	\$135.14
Difco	285320	Hektoen Enteric Agar	For selective, differential isolation of Salmonella and Shigella from other gram-negative enteric bacilli.	10Kg	\$3,444.63
Difco	285310	Hektoen Enteric Agar	For selective, differential isolation of Salmonella and Shigella from other gram-negative enteric bacilli.	2Kg	\$706.55

Difco	285340	Hektoen Enteric Agar	For selective, differential isolation of Salmonella and Shigella from other gram-negative enteric bacilli.	500g	\$190.89
BBL	212392	Hemoglobin Freeze-Dried	Media Additive	500g	\$124.74
BBL	211874	Hemoglobin Solution 2%	Media Additive	10x100mL	\$94.50
BBL	211038	Infusion Agar Blood Agar Base	Is used for the isolation, cultivation and detection of hemolytic activity of streptococci and other fastidious microorganisms.	5 Lbs	\$745.08
BBL	212254	Inhibitory Mold Agar	For the isolation of pathogenic fungi.	5 Lbs	\$806.93
Difco	216410	Inositol	Media Additive	100g	\$52.29
Difco	212222	Inositol Assay Medium	Microbiological assay of inositol.	100g	\$74.45
BBL	211876	Isovitalex Enrichment	Used for supplementing media to culture fastidious microorganisms.	5x10mL	\$132.72
BBL	211875	Isovitalex Enrichment	Used for supplementing media to culture fastidious microorganisms.	5x2mL	\$69.83
Difco	276910	ISP Medium 1	International Streptomyces Project - Tryptone Yeast Extract Broth. Used for characterizing Streptomyces species according to the International Streptomyces Project (ISP)	500g	\$151.73
Difco	277010	ISP Medium 2	ISP Medium 2, International Streptomyces Project Yeast Malt Extract Agar	500g	\$202.23
Difco	277210	ISP Medium 4	International Streptomyces Project Inorganic Salts Starch Agar.	500g	\$174.83
Difco	249610	KF Streptococcus Agar	For selective enumeration of fecal streptococci	500g	\$136.08
Difco	212226	KF Streptococcus Broth	For selective enumeration of fecal streptococci	500g	\$200.31
BBL	211317	Kligler Iron Agar	Identification of gram-negative enteric bacilli based on fermentation of dextrose and lactose and the production of hydrogen sulfide.	500g	\$117.60
Difco	215100	Koser Citrate Medium	Differentiation of E. coli and E. aerogenes based on citrate utilization.	500g	\$193.85
Difco	290010	Lactobacilli Agar AOAC	Maintenance of stock cultures for vitamin and amino acid microbiological assays	100g	\$80.54
Difco	290110	Lactobacilli Broth AOAC	Used to prepare microorganism inocula for vitamin assays.	100g	\$113.07
Difco	288210	Lactobacilli MRS Agar	For cultivation of lactobacilli.	500g	\$108.68
Difco	288110	Lactobacilli MRS Broth	Cultivation of lactobacilli.	2Kg	\$353.64
Difco	288120	Lactobacilli MRS Broth	Cultivation of lactobacilli.	10Kg	\$1,680.32
Difco	288130	Lactobacilli MRS Broth	Cultivation of lactobacilli.	500g	\$93.66
Difco	215620	Lactose	Media Additive	500g	\$34.76
Difco	243000	Lactose Broth	Cultivation of Salmonella and coliform organisms in water, foods, dairy and pharmaceutical products.	100g	\$31.71
Difco	242000	Lactose Broth	Cultivation of Salmonella and coliform organisms in water, foods, dairy and pharmaceutical products.	10Kg	\$1,332.56
Difco	241000	Lactose Broth	Cultivation of Salmonella and coliform organisms in water, foods, dairy and pharmaceutical products.	2Kg	\$273.74
Difco	211835	Lactose Broth	Cultivation of Salmonella and coliform organisms in water, foods, dairy and pharmaceutical products.	500g	\$72.24
Difco	266520	Lactose Peptone Broth	Detection of coliform organisms in water	500g	\$115.50
BBL	294369	Lauryl Sulfate Broth	For detection of coliform bacteria	25 Lbs	\$1,863.54
BBL	211339	Lauryl Sulfate Broth	For detection of coliform bacteria	5 Lbs	\$454.76

BBL	211338	Lauryl Sulfate Broth	For detection of coliform bacteria	500g	\$85.58
Difco	298076	Lauryl Sulfate Broth with Mug	For the detection of E. coli in water and food samples by a fluorogenic procedure	500g	\$479.22
Difco	224140	Lauryl Tryptose Broth	Medium for detection of coliform bacteria	100g	\$69.62
Difco	224130	Lauryl Tryptose Broth	Medium for detection of coliform bacteria	10Kg	\$1,418.34
Difco	224120	Lauryl Tryptose Broth	Medium for detection of coliform bacteria	2Kg	\$313.85
Difco	224150	Lauryl Tryptose Broth	Medium for detection of coliform bacteria	500g	\$92.51
Difco	211740	Lauryl Tryptose Broth with MUG	Fluorogenic detection of E. coli in water, food and milk.	100g	\$203.91
Difco	211744	Lauryl Tryptose Broth with MUG	Fluorogenic detection of E. coli in water, food and milk.	500g	\$462.74
Difco	240110	LB Agar Lennox	Nutritionally rich media developed by Lennox for the growth and maintenance of pure cultures of recombinant strains of E. coli.	500g	\$89.36
Difco	240230	LB Broth Lennox	Nutritionally rich media developed by Lennox for the growth and maintenance of pure cultures of recombinant strains of E. coli.	500g	\$44.31
Difco	244520	LB Agar Miller	Based on LB Medium as described by Miller for the growth and maintenance of E. coli strains used in molecular microbiology procedures. These are nutritionally rich media designed for growth of pure cultures of recombinant strains.	500g	\$89.36
Difco	244620	LB Broth Miller	Based on LB Medium as described by Miller for the growth and maintenance of E. coli strains used in molecular microbiology procedures. These are nutritionally rich media designed for growth of pure cultures of recombinant strains.	500g	\$59.75
Difco	241320	Luria Agar Base Miller	Used for maintaining and propagating Escherichia coli in molecular microbiology procedures with or without added glucose.	500g	\$93.77
Difco	241420	Luria Broth Base Miller	Used for maintaining and propagating Escherichia coli in molecular microbiology procedures with or without added glucose.	500g	\$170.52
BBL	211327	LBS Agar	Selective isolation and enumeration of lactobacilli	500g	\$129.36
BBL	211331	LBS Broth	Selective medium for isolation and cultivation of lactobacilli.	500g	\$250.38
Difco	218301	Legionella Agar Base	Use with Legionella Agar Enrichment to isolate and cultivate Legionella.	500g	\$246.33
Difco	233901	Legionella Agar Enrichment	Use with Legionella Agar Base for the isolation of Legionella.	6x5mL	\$94.50
BBL	211883	Leptospira Enrichment	Additive used in cultivation in studies of Leptospira	10x10mL	\$292.43
Difco	279510	Leptospira Enrichment	Additive used in cultivation in studies of Leptospira.	6x100mL	\$692.06
Difco	279410	Leptospira Medium Base EMJH	Use with Leptospira Enrichment EMJH to cultivate and maintain Leptospira.	500g	\$131.46
BBL	211221	Levine EMB Agar	For isolating and differentiating lactose-fermenting from lactose-nonfermenting gram-negative enteric bacilli.	500g	\$88.83
BBL	211222	Levine EMB Agar	For isolating and differentiating lactose-fermenting from lactose-nonfermenting gram-negative enteric bacilli.	5 Lbs	\$434.70
BBL	211191	Levine EMB Without Lactose	Provided for convenience in genetic studies of enteric bacilli.	500g	\$175.56
Difco	243110	Lipase Reagent	For use with Sprit Blue Agar.	6x20mL	\$73.71

Difco	222210	Listeria Enrichment Broth	Elective enrichment for <i>L. monocytogenes</i> from non-dairy and processed food products.	10Kg	\$1,237.43
Difco	222220	Listeria Enrichment Broth	Elective enrichment for <i>L. monocytogenes</i> from non-dairy and processed food products.	500g	\$66.57
BBL	212402	Listeria Selective Supplement	For isolating and cultivating <i>Listeria monocytogenes</i> .	2mL	\$175.25
BBL	211343	Litmus Milk	Used for the maintenance of lactic acid bacteria and as a differential medium for determining the action of bacteria on milk.	500g	\$147.74
Difco	213320	Liver	Desiccated powder of beef liver. Desiccated powder of beef liver, 135 g are equivalent to 500 g fresh liver	500g	\$179.97
Difco	252100	Liver Infusion Agar	Cultivation of <i>Brucella</i> , anaerobes, and other pathogens.	500g	\$265.76
Difco	226920	Liver Infusion Broth	Cultivation of <i>Brucella</i> and other pathogens.	500g	\$154.77
Difco	259100	Liver Veal Agar	Cultivation of anaerobic bacteria.	500g	\$178.40
Difco	244410	Lowenstein Medium Base	Prepared tubed and ampuled media available. Use with Glycerol to prepare a variety of coagulated egg media for isolation and differentiation of mycobacteria.	2Kg	\$479.12
Difco	244420	Lowenstein Medium Base	Prepared tubed and ampuled media available. Use with Glycerol to prepare a variety of coagulated egg media for isolation and differentiation of mycobacteria.	500g	\$119.81
Difco	222110	LPM Agar Base	Use with Moxalactam Antimicrobial Supplement for isolation of <i>L. monocytogenes</i>	2Kg	\$865.85
Difco	222120	LPM Agar Base	Use with Moxalactam Antimicrobial Supplement for isolation of <i>L. monocytogenes</i>	500g	\$226.15
Difco	242210	Lysine Assay Medium	For microbiological assay of lysine	100g	\$80.12
Difco	211759	Lysine Decarboxylase Broth	Differentiation of bacteria based on ability to decarboxylate lysine.	500g	\$258.62
BBL	211363	Lysine Iron Agar	Differential medium to detect organisms that decarboxylate or deaminate lysine and produce hydrogen sulfide.	500g	\$181.97
Difco	284920	Lysine Iron Agar	Differential medium to detect organisms that decarboxylate or deaminate lysine and produce hydrogen sulfide.	500g	\$168.53
Difco	218571	M 17 Agar	Isolation of mesophilic lactic streptococci	500g	\$205.07
Difco	218561	M 17 Broth	Selective isolation and enumeration of streptococci.	500g	\$182.28
Difco	249410	m Brilliant Green Broth	Selective differential medium for screening for <i>Salmonella</i> in water.	500g	\$153.46
Bacto	294010	M Broth	Detection of <i>Salmonella</i> by the accelerated enrichment serology procedure	2Kg	\$481.85
Bacto	294020	M Broth	Detection of <i>Salmonella</i> by the accelerated enrichment serology procedure	500g	\$120.54
Difco	233310	M E Agar	Detection of <i>Salmonella</i> by the accelerated enrichment serology procedure	100g	\$70.77
Difco	233320	M E Agar	Detection of <i>Salmonella</i> by the accelerated enrichment serology procedure	500g	\$196.14
Difco	214885	m EI Agar	For the chromogenic detection and enumeration of enterococci in water by the membrane filter technique.	100g	\$278.99
Difco	214881	m EI Agar	For the chromogenic detection and enumeration of enterococci in water by the membrane filter technique.	500g	\$1,107.75

Difco	273610	m Endo Agar Les	Enumeration of coliforms in water by the membrane filter technique.	100g	\$87.26
Difco	273620	m Endo Agar Les	Enumeration of coliforms in water by the membrane filter technique.	500g	\$180.29
Difco	274920	m Endo Broth MF	Millipore Filter, one step membrane filtration technique for the enumeration of coliforms	100g	\$66.26
Difco	274930	m Endo Broth MF	Millipore Filter, one step membrane filtration technique for the enumeration of coliforms	500g	\$132.41
Difco	274610	M Enterococcus Agar	Selective isolation and enumeration of enterococci using the membrane filtration technique	100g	\$100.91
Difco	274620	M Enterococcus Agar	Selective isolation and enumeration of enterococci using the membrane filtration technique	500g	\$187.11
Difco	267710	m FC Agar	For detection and enumeration of fecal coliforms by the membrane filter technique at elevated temperatures.	100g	\$64.79
Difco	267720	m FC Agar	For detection and enumeration of fecal coliforms by the membrane filter technique at elevated temperatures.	500g	\$189.42
Difco	269810	m FC Basal Medium	For detection and enumeration of fecal coliforms by the membrane filter technique at elevated temperatures.	500g	\$158.76
Difco	288320	m FC Broth Base	Use with Rosolic Acid for detection and enumeration of fecal coliforms by the membrane filter technique at elevated temperatures	100g	\$69.62
Difco	288330	m FC Broth Base	Use with Rosolic Acid for detection and enumeration of fecal coliforms by the membrane filter technique at elevated temperatures	500g	\$156.03
Difco	275220	m HPC Agar	Heterotrophic Plate Count by membrane filter technique.	500g	\$127.58
Difco	214882	m I Agar	Base for the simultaneous chromogenic-fluorogenic detection and enumeration of total coliforms and E. coli in drinking water by the membrane filter technique.	100g	\$229.53
Difco	214883	m I Agar	Base for the simultaneous chromogenic-fluorogenic detection and enumeration of total coliforms and E. coli in drinking water by the membrane filter technique.	500g	\$1,051.58
BBL	298153	m PA-C Agar	For the selective recovery of Pseudomonas auruginosa from water.	500g	\$175.67
Difco	275120	M Plate Count Broth	Nonselective determination of bacterial counts by the membrane filter technique.	500g	\$118.23
Difco	264920	m Staphylococcus Broth	Selective isolation of pathogenic enterotoxigenic staphylococci.	500g	\$126.84
Difco	214880	m TEC Agar	Base for the chromogenic detection and enumeration of E. coli in water by the membrane filter technique.	500g	\$1,107.75
Difco	214884	m TEC Agar Modified	Base for the chromogenic detection and enumeration of E. coli in water by the membrane filter technique.	100g	\$278.99
Difco	233410	m TEC Agar	Use with Urea for selective enumeration of thermotolerant E. coli by the membrane filter technique.	100g	\$84.53
Difco	275010	m TGE Broth	Nonselective determination of bacterial counts by the membrane filter technique.	100g	\$66.68

BBL	211387	Macconkey Agar	For differential isolation of enteric bacilli based on lactose fermentation.	500g	\$86.10
Difco	275300	Macconkey Agar	For differential isolation of enteric bacilli based on lactose fermentation.	10Kg	\$1,486.07
BBL	211391	Macconkey Agar	For differential isolation of enteric bacilli based on lactose fermentation.	25 Lbs	\$2,052.96
Difco	212122	Macconkey Agar	For differential isolation of enteric bacilli based on lactose fermentation.	2Kg	\$304.82
BBL	211390	Macconkey Agar	For differential isolation of enteric bacilli based on lactose fermentation.	5 Lbs	\$419.69
Difco	212123	Macconkey Agar	For differential isolation of enteric bacilli based on lactose fermentation.	500g	\$76.44
Difco	281810	Macconkey Agar Base	Prepared without carbohydrates for coliform fermentation studies.	500g	\$111.30
BBL	211393	Macconkey Agar without Crystal Violet	Less selective than MacConkey Agar, to permit growth of staphylococci and enterococci.	500g	\$117.60
Difco	247010	Macconkey Agar without Crystal Violet	Less selective than MacConkey Agar, to permit growth of staphylococci and enterococci.	500g	\$120.65
Difco	233120	Macconkey Agar without Salt	Restricts the swarming of most Proteus sp., facilitating gram-negative bacilli isolation	500g	\$193.85
Difco	220100	Macconkey Broth	Selective medium for detection of gram-negative, lactose fermenting coliforms in water and foods	500g	\$92.09
BBL	212306	Macconkey II Agar	Isolation of gram-negative enteric bacilli from specimens that may contain swarming strains of Proteus.	500g	\$100.38
BBL	299769	Macconkey II Agar Sorbitol	Isolation and differentiation of enteropathogenic E. coli serotypes.	500g	\$119.49
Difco	279100	Macconkey Sorbitol Agar	Isolation and differentiation of enteropathogenic E. coli serotypes.	500g	\$115.82
Difco	239520	Malonate Broth	Differentiation of Enterobacter and Escherichia on the basis of malonate utilization.	500g	\$222.29
BBL	211399	Malonate Broth Ewing Modified	Modified Differentiation of Enterobacteriaceae on the basis of malonate utilization.	500g	\$275.00
BBL	211401	Malt Agar	Detection and isolation of yeasts and molds	500g	\$117.60
Difco	224100	Malt Agar	Detection and isolation of yeasts and molds	10Kg	\$2,225.69
Difco	224200	Malt Agar	Detection and isolation of yeasts and molds	500g	\$114.45
Bacto	218610	Malt Extract	Media ingredient for yeast and mold detection	10Kg	\$738.39
Bacto	218630	Malt Extract	Media ingredient for yeast and mold detection	500g	\$39.03
Difco	211220	Malt Extract Agar	Used for isolating, cultivating and enumerating yeasts and molds.	500g	\$117.18
Difco	211320	Malt Extract Broth	Used for cultivating yeasts and molds.	500g	\$92.09
Difco	216830	Maltose	Media Additive	500g	\$114.98
Difco	217020	Mannitol	Media Additive	500g	\$55.65
BBL	211407	Mannitol Salt Agar	Isolation of pathogenic staphylococci.	500g	\$56.49
BBL	293689	Mannitol Salt Agar	Isolation of pathogenic staphylococci.	25 Lbs	\$1,254.33
BBL	211410	Mannitol Salt Agar	Isolation of pathogenic staphylococci.	5 Lbs	\$273.11
Difco	217110	Mannose	Media Additive	25g	\$61.95
Difco	212185	Marine Agar 2216	Isolation, cultivation and enumeration of heterotrophic marine bacteria.	500g	\$169.68
Difco	279110	Marine Broth 2216	Cultivation of heterotrophic marine bacteria	500g	\$153.30
Difco	218971	Maximum Recovery Diluent	Isotonic diluent for the maximum recovery of organisms.	500g	\$47.67

Difco	294110	McClung Toabe Agar Base	Use with Egg Yolk Enrichment 50% for detection and isolation of <i>C. perfringens</i> from foods based on the lecithinase reaction.	500g	\$141.54
Difco	217310	Melibiose	Media Additive	10g	\$75.29
BBL	211286	M-Green Yeast And Mold Broth	Used for the detection of fungi in the routine analysis of beverages.	100g	\$43.05
BBL	211287	M-Green Yeast And Mold Broth	Used for the detection of fungi in the routine analysis of beverages.	500g	\$99.86
Difco	231920	Micro Assay Culture Agar	Cultivation of lactobacilli and other organisms used in the microbiological analysis of vitamins and amino acids.	500g	\$239.51
Difco	211813	Micro Inoculum Broth	Recommended medium for preparation of lactobacilli inoculum for vitamin assays.	500g	\$184.07
Difco	262710	Middlebrook 7H10 Agar	Use with Glycerol and Middlebrook OADC Enrichment for isolation and cultivation of mycobacteria.	500g	\$145.64
Difco	271310	Middlebrook 7H9 Broth	Use with Tween™ 80 or Glycerol and Middlebrook ADC Enrichment for cultivation of mycobacteria and preparation of tubercle emulsion for susceptibility testing.	500g	\$128.21
BBL	212352	Middlebrook ADC	Used primarily for growth of pure cultures of mycobacteria for use in laboratory studies	6x100mL	\$390.08
BBL	212240	Middlebrook OADC	Used in qualitative procedures for the isolation and cultivation of mycobacteria.	6x100mL	\$642.71
BBL	212351	Middlebrook OADC	Used in qualitative procedures for the isolation and cultivation of mycobacteria.	500mL	\$200.13
BBL	211886	Middlebrook OADC Enrichment	Used in qualitative procedures for the isolation and cultivation of mycobacteria.	10x20mL	\$146.90
Difco	218041	MIL Medium (Motility Indole Lysine Medium)	Differentiating Enterobacteriaceae based on motility, lysine decarboxylation, lysine deamination and indole production.	500g	\$122.75
Difco	218591	Milk Agar IDF Formulation	Total count medium for milk and dairy products.	500g	\$97.65
Difco	273520	MIO Medium	Used to demonstrate motility, indole production and ornithine decarboxylase activity for the differentiation of Enterobacteriaceae	500g	\$115.08
Difco	229810	Mitis Salivarius Agar	Use with Chapman Tellurite Solution 1% for selective isolation of <i>S. mitis</i> , <i>S. salivarius</i> and enterococci.	500g	\$136.40
Difco	211763	Modified Oxford Supplement	Use with Oxford Medium Base.	6x10mL	\$127.16
Difco	220520	Modified Listeria Enrichment Broth	Selective enrichment of Listeria in dairy products	10Kg	\$1,368.68
Difco	245152	Modified Listeria Enrichment Broth	Selective enrichment of Listeria in dairy products	2Kg	\$285.18
Difco	220530	Modified Listeria Enrichment Broth	Selective enrichment of Listeria in dairy products	500g	\$75.29
Difco	289020	Moeller Decarboxylase Base	Use to differentiate bacteria based on ability to decarboxylate amino acids.	500g	\$215.78
BBL	211430	Moeller Decarboxylase Broth	Used in the biochemical differentiation of gram-negative enteric bacilli based on the production of arginine dihydrolase and lysine and ornithine decarboxylase.	500g	\$238.14
Difco	286910	Motility GI Medium ium	Semisolid gelatin heart infusion medium for demonstrating microorganism motility	500g	\$110.36
BBL	211436	Motility Test Medium	For demonstrating microorganism motility	500g	\$146.27
Difco	225220	Mueller Hinton Agar	Antimicrobial susceptibility testing of microorganisms by agar diffusion methods	2Kg	\$336.74

Difco	225250	Mueller Hinton Agar	Antimicrobial susceptibility testing of microorganisms by agar diffusion methods	500g	\$84.32
BBL	211443	Mueller Hinton Broth	Antimicrobial susceptibility testing of microorganisms by broth dilution methods	500g	\$112.14
Difco	275710	Mueller Hinton Broth	Antimicrobial susceptibility testing of microorganisms by broth dilution methods	2Kg	\$418.32
Difco	275730	Mueller Hinton Broth	Antimicrobial susceptibility testing of microorganisms by broth dilution methods	500g	\$108.89
BBL	212257	Mueller Hinton II Agar	Antimicrobial susceptibility testing of microorganisms by agar diffusion methods	25 Lbs	\$2,274.20
BBL	211441	Mueller Hinton II Agar	Antimicrobial susceptibility testing of microorganisms by agar diffusion methods	5 Lbs	\$462.32
BBL	211438	Mueller Hinton II Agar	Antimicrobial susceptibility testing of microorganisms by agar diffusion methods	500g	\$99.54
Difco	225230	Mueller Hinton Medium	Antimicrobial susceptibility testing of microorganisms by agar diffusion methods	10Kg	\$1,639.68
BBL	212322	Mueller II Broth Cation-Adjusted	Antimicrobial susceptibility testing of microorganisms by broth dilution methods	500g	\$123.59
Difco	218531	Muller Kauffmann Tetrathionate Broth	ISO Formulation Enrichment broth for the selective isolation of Salmonella	500g	\$195.20
Difco	283810	Mycobacteria 7H11 Agar	Use with Glycerol and Middlebrook OADC Enrichment for isolation, cultivation and susceptibility testing of Mycobacteria.	500g	\$134.82
Difco	231141	Mycobacterium Tuberculosis H37Ra	desiccated (killed and dried) Mycobacterium tuberculosis H37 Ra. This avirulent strain is intended for use with Freund's Incomplete Adjuvant to give the complete adjuvant.	6x100mg	\$306.61
Difco	231131	Mycobacterium Tuberculosis H37Ra IN OIL	Same as 231141 above, but is solubilized in oil. A suspension of Mycobacterium tuberculosis H37Ra (an avirulent strain) in a mixture of paraffin oil and mannide monooleate. It is used in the preparation of antigen-adjuvant emulsions used in immunological studies with laboratory animals. Formulation per 10mL ampule: Mannide Monooleate (1.5mL), Paraffin oil (8.5mL) and Mycobacterium tuberculosis H37Ra (10mg).	6x10mL	\$126.50
Difco	240520	Mycological Agar	Cultivation, isolation and identification of fungi.	500g	\$146.06
BBL	211445	Mycophil Agar	Cultivation, isolation and identification of fungi.	500g	\$298.85
BBL	211450	Mycophil Agar With Low pH	Isolation and enumeration of yeast and molds	500g	\$131.46
BBL	211456	Mycoplasma Agar Base	Used for isolating and cultivating Mycoplasma	500g	\$158.45
BBL	211458	Mycoplasma Broth Base	Used for isolating and cultivating Mycoplasma	500g	\$111.72
BBL	212347	Mycoplasma Broth Base Frey	For the cultivation of avian mycoplasmas	5 Lbs	\$481.32
BBL	212346	Mycoplasma Broth Base Frey	For the cultivation of avian mycoplasmas	500g	\$113.72
Difco	283610	Mycoplasma Supplement EM	Prepared from yeast extract and horse serum	6x30mL	\$250.72
BBL	211462	Mycosel Agar	For the isolation of pathogenic fungi from materials having a large flora of other fungi and bacteria.	500g	\$169.89
Difco	281010	MYP Agar (Mannitol Yolk Polymyxin B)	Use with Egg Yolk Enrichment 50% and Antimicrobial Vial P for presumptive identification of B. cereus in foods.	500g	\$134.30
Bacto	211680	Neopeptone	Enzymatic digest of protein.	10Kg	\$5,567.84
Bacto	211681	Neopeptone	Enzymatic digest of protein.	500g	\$302.18

Difco	232210	Niacin Assay Medium	Microbiological assay of niacin.	100g	\$54.18
Difco	225710	NIH Thioglycollate Broth	Use for sterility testing per USP Alternative Thioglycollate Medium.	500g	\$91.56
Difco	226810	Nitrate Broth	Determination of nitrate reduction by bacteria	500g	\$123.90
Difco	231971	Novobiocin Supplement	Used for rapidly detecting motile Salmonella in feces and food products.	6x10mL	\$96.60
Difco	269100	Nutrient Agar 1.5%	Use with blood or other enrichments for cultivation of fastidious microorganisms	500g	\$118.44
Difco	212000	Nutrient Agar	General purpose medium for the cultivation of a wide variety of microorganisms	100g	\$55.13
Difco	211665	Nutrient Agar	General purpose medium for the cultivation of a wide variety of microorganisms	2Kg	\$498.12
Difco	213000	Nutrient Agar	General purpose medium for the cultivation of a wide variety of microorganisms	500g	\$125.06
Difco	263410	Nutrient Agar pH 6.0	General purpose medium for cultivation of microorganisms requiring slightly acidic pH	500g	\$207.80
Difco	223100	Nutrient Agar with MUG	Fluorogenic assay for the detection and enumeration of E. coli in water.	100g	\$180.29
Difco	223200	Nutrient Agar with MUG	Fluorogenic assay for the detection and enumeration of E. coli in water.	500g	\$488.99
Difco	233000	Nutrient Broth	General purpose medium for the cultivation of microorganisms with non-exacting nutritional requirements.	100g	\$49.25
Difco	232000	Nutrient Broth	General purpose medium for the cultivation of microorganisms with non-exacting nutritional requirements.	10Kg	\$2,177.18
Difco	231000	Nutrient Broth	General purpose medium for the cultivation of microorganisms with non-exacting nutritional requirements.	2Kg	\$446.88
Difco	234000	Nutrient Broth	General purpose medium for the cultivation of microorganisms with non-exacting nutritional requirements.	500g	\$111.83
Difco	211100	Nutrient Gelatin	Determination of gelatin liquefaction by proteolytic microorganisms	500g	\$85.16
Difco	255210	Oatmeal Agar	Cultivation of fungi, particularly for macrospore production.	500g	\$155.93
Difco	268820	OF Basal Medium	For differentiation and classification of gram-negative microorganisms	500g	\$97.44
Difco	218111	OGYE Agar Base	Use with Antimicrobial Vial Oxytetracycline for selective isolation of yeasts and molds in foods	500g	\$80.01
BBL	211486	Orange Serum Agar	For the enumeration and cultivation of microorganisms in citrus juice concentrates and other products.	500g	\$148.26
BBL	251810	Orange Serum Broth Concentrate 100x	Orange Serum Broth Concentrate 10x when diluted 1:10 is used for cultivating and enumerating microorganisms associated with spoilage of citrus products.	6x100mL	\$496.97
Difco	222510	Oxford Medium Base	Use with Modified Oxford Antimicrobial Supplement or Oxford Antimicrobial Supplement to isolate L. monocytogenes	2Kg	\$593.04
Difco	222530	Oxford Medium Base	Use with Modified Oxford Antimicrobial Supplement or Oxford Antimicrobial Supplement to isolate L. monocytogenes	500g	\$156.24
Difco	212820	Oxgall	Dehydrated fresh bile used in the selection of bile tolerant bacteria.	500g	\$269.12

Difco	263710	Palcam Antimicrobial Supplement	For use with PALCAM Medium Base in preparing Palcam Medium for PALCAM selective isolation of Listeria from foods.	3x10mL	\$81.80
Difco	263610	Palcam Medium Base	Use with PALCAM Antimicrobial Supplement in isolating and cultivating Listeria from foods	2Kg	\$338.31
Difco	263620	Palcam Medium Base	Use with PALCAM Antimicrobial Supplement in isolating and cultivating Listeria from foods	500g	\$94.50
Difco	260410	Pantothenate Assay Medium	Microbiological assay of pantothenate.	100g	\$65.73
Difco	281610	Pantothenate Medium AOAC/USP	For use in USP and AOAC methods for Microbiological assay of pantothenate.	100g	\$74.53
Difco	234510	Penase	Penicillinase inactivates 10,000,000 International units/mL of Penicillin G.	6x20mL	\$128.00
Difco	234620	Penase Concentrate	Concentrate Penicillinase inactivates 10,000,000 International units/mL of Penicillin G	100mL	\$147.63
Difco	234630	Penase Concentrate	Concentrate Penicillinase inactivates 10,000,000 International units/mL of Penicillin G	6x100mL	\$688.70
Difco	234610	Penase Concentrate	Concentrate Penicillinase inactivates 10,000,000 International units/mL of Penicillin G	6x20mL	\$153.62
BBL	211897	Penicillinase 1000000 Units	Deactivates Penicillin.	10x20mL	\$192.47
BBL	211899	Penicillinase 10000000 Units	Deactivates Penicillin.	100mL	\$98.07
BBL	211898	Penicillinase 10000000 Units	Deactivates Penicillin.	10x20mL	\$246.12
Difco	215110	Pepsin 1:10,000	Deactivates Penicillin.	500g	\$498.12
Bacto	211677	Peptone	An enzymatic digest of animal protein	500g	\$107.14
Bacto	211820	Peptone	An enzymatic digest of animal protein	2 Kg	\$420.81
Bacto	211830	Peptone	An enzymatic digest of animal protein	10 Kg	\$2,042.42
Difco	289100	Peptone Iron Agar	Use as an indicator of hydrogen sulfide production.	500g	\$184.80
Difco	218071	Peptone Water	For cultivation of nonfastidious organisms, for studying carbohydrate fermentation and for performing the indole test.	500g	\$70.77
BBL	220310	Phenol Red	For use in preparing microbiological culture media.	5g	\$117.81
BBL	211502	Phenol Red Agar Base	Used with added carbohydrate in differentiating pure cultures of bacteria based on fermentation reactions.	500g	\$172.73
BBL	211506	Phenol Red Broth Base	Used for the determination of fermentation reactions in the differentiation of microorganisms	500g	\$167.37
BBL	211514	Phenol Red Dextrose Broth	"Used as a negative control for fermentation studies or as a base for the addition of carbohydrates by the aseptic addition of BBL™ Taxo™ Carbohydrate Discs."	500g	\$167.37
BBL	211519	Phenol Red Lactose Broth	Used for the determination of fermentation reactions in the differentiation of microorganisms	500g	\$167.37
Difco	210310	Phenol Red Mannitol Agar	Determination of the ability of microorganisms to ferment mannitol.	500g	\$168.63
BBL	211527	Phenol Red Mannitol Broth	Determination of the ability of microorganisms to ferment mannitol.	500g	\$189.11
BBL	211533	Phenol Red Sucrose Broth	Are used for the determination of fermentation reactions in the differentiation of microorganisms	500g	\$247.91

BBL	211537	Phenylalanine Agar	Differentiation of Proteus and Providencia from other Enterobacteriaceae based on deamination of phenylalanine.	500g	\$216.93
Difco	274520	Phenylalanine Agar	Differentiation of Proteus and Providencia from other Enterobacteriaceae based on deamination of phenylalanine.	500g	\$196.77
BBL	211539	Phenylethyl Alcohol Agar	For the isolation of gram-positive cocci from specimens containing gram-positive and gram-negative flora when supplemented with 5% sheep blood.	500g	\$110.99
BBL	212056	Phosphate Buffer pH 6.8	used for the preparation of dilution blanks for use in the examination of waters, dairy products, foods and other materials.	10x10mL	\$35.23
BBL	211544	Phosphate Buffer Ph 7.2	used for the preparation of dilution blanks for use in the examination of waters, dairy products, foods and other materials.	500g	\$94.92
BBL	211906	Phytone Peptone	An enzymatic digest of soybean meal	454g	\$99.16
BBL	211546	Phytone Yeast Extract Agar	Used for the selective isolation of dermatophytes, particularly Trichophyton verrucosum, and other pathogenic fungi from routine clinical specimens	500g	\$117.60
Difco	247930	Plate Count Agar	Enumeration of bacteria in water, wastewater, food and dairy.	100g	\$47.67
Difco	247920	Plate Count Agar	Enumeration of bacteria in water, wastewater, food and dairy.	10Kg	\$1,636.64
Difco	247910	Plate Count Agar	Enumeration of bacteria in water, wastewater, food and dairy.	2Kg	\$332.64
Difco	247940	Plate Count Agar	Enumeration of bacteria in water, wastewater, food and dairy.	500g	\$88.62
Difco	232681	Polymyxin B Antimicrobial P	Used in the preparation of MYP Agar and SFP Agar Base.	6x10mL	\$114.35
BBL	297108	Polypeptone Peptone	Pancreatic digest of casein and peptic digest of animal tissue combined in equal parts.	10Kg	\$1,429.26
BBL	211910	Polypeptone Peptone	Pancreatic digest of casein and peptic digest of animal tissue combined in equal parts.	454g	\$148.10
BBL	211925	Polysorbate 80	Media Additive	100mL	\$19.64
Difco	213300	Potato Dextrose Agar	Cultivation of yeasts and molds.	100g	\$46.73
Difco	213200	Potato Dextrose Agar	Cultivation of yeasts and molds.	2Kg	\$423.15
Difco	213400	Potato Dextrose Agar	Cultivation of yeasts and molds.	500g	\$105.74
Difco	254920	Potato Dextrose Broth	Cultivation of yeasts and molds from food and dairy products.	500g	\$116.45
Difco	251100	Potato Infusion Agar	Used for cultivating Brucella, especially in mass cultivation procedures.	500g	\$260.61
Difco	241210	PPLO Agar	Use with Mycoplasma Supplement or Mycoplasma Supplement S for isolation and cultivation of Mycoplasma.	500g	\$227.01
Difco	255420	PPLO Broth without Crystal Violet	Use with Mycoplasma Supplement or Mycoplasma Supplement S for isolation and cultivation of Mycoplasma.	500g	\$104.48
Difco	292862	Presence Absence Broth	One step method for presumptive identification of coliforms in water.	10Kg	\$1,912.05
Difco	219100	Presence-Absence Broth	One step method for presumptive identification of coliforms in water.	2Kg	\$402.89
Difco	219200	Presence-Absence Broth	One step method for presumptive identification of coliforms in water.	500g	\$100.70
Difco	265100	Proteose No. 3 Agar	For use with Hemoglobin and Supplement A, B or VX for isolation and cultivation of Neisseria and Haemophilus.	500g	\$226.15

Bacto	212010	Proteose Peptone	Enzymatic digest of protein, high in proteoses. Bacto Proteose Peptone was originally developed to produce a diphtheria toxin of high and uniform potency from cultures of <i>Corynebacterium diphtheriae</i> . Studies support the use of Bacto Proteose Peptone for production of diphtheria toxin, toxinantitoxin mixtures and toxoid. Bacto Proteose Peptone is also valuable in the production of other bacterial toxins such as <i>Clostridium botulinum</i> toxin, toxin from <i>Clostridium perfringens</i> , toxin of hemolytic streptococci, pneumococcus toxin and toxin from <i>Salmonella pullorum</i> .	10Kg	\$4,346.06
Bacto	211684	Proteose Peptone	Enzymatic digest of protein, high in proteoses	500g	\$225.52
Bacto	212110	Proteose Peptone No 2	Enzymatic digest of protein. originally developed for use in media for the production of diphtheria toxin. Bunney and Thomas reported good yield of diphtheria toxin with Proteose Peptone No. 2 in a simple peptone-sugar-sodium acetate medium	10Kg	\$7,031.08
Bacto	212120	Proteose Peptone No 2	Enzymatic digest of protein.	500g	\$374.29
Bacto	212230	Proteose Peptone No 3	Enzymatic digest of protein. a modification of Bacto Proteose Peptone adapted for use in the preparation of chocolate agar for propagation of <i>Neisseria</i> species and chocolate tellurite agar for <i>Corynebacterium diphtheriae</i> .	10Kg	\$4,858.92
Bacto	212220	Proteose Peptone No 3	Enzymatic digest of protein.	2Kg	\$971.79
Bacto	211693	Proteose Peptone No 3	Enzymatic digest of protein.	500g	\$242.95
Bacto	211715	Proteose Peptone No 4	Enzymatic digest of protein. a spray-dried version of Bacto Proteose Peptone. It offers the same beneficial nutrients as Bacto Proteose Peptone for growth promotion and toxin production with a wide range of fastidious microorganisms	10Kg	\$3,155.43
Difco	244910	<i>Pseudomonas</i> Agar P	Use with Glycerol for detection and differentiation of <i>P. aeruginosa</i> based on pyocyanin production.	500g	\$143.12
Difco	292710	<i>Pseudomonas</i> Isolation Agar	Use with Glycerol for selective isolation and differentiation of <i>P. aeruginosa</i> based on pigment formation.	500g	\$152.67
Difco	222810	Purple Agar Base	Basal medium to which carbohydrates are added to determine fermentation reactions	500g	\$166.43
BBL	211558	Purple Broth Base	Basal medium to which carbohydrates are added to determine fermentation reactions	500g	\$158.31
Difco	222710	Purple Broth Base	Basal medium to which carbohydrates are added to determine fermentation reactions	500g	\$91.56
Difco	295110	Pyridoxine Y Medium	Microbiological assay of pyridoxine.	100g	\$77.39
Difco	218262	R2A Agar	Low nutrient medium for enumeration and cultivation of bacteria from potable water	100g	\$58.80
Difco	218261	R2A Agar	Low nutrient medium for enumeration and cultivation of bacteria from potable water	2Kg	\$486.15
Difco	218263	R2A Agar	Low nutrient medium for enumeration and cultivation of bacteria from potable water	500g	\$121.59
Difco	217410	Raffinose	Media Additive	100g	\$159.81
Difco	217520	Rhamnose	Media Additive	100g	\$326.34
Difco	217510	Rhamnose	Media Additive	25g	\$178.08

Difco	218671	Raka-Ray No 3 Medium	For the isolation of lactic acid bacteria in beer	500g	\$121.17
BBL	218681	Rappaport Vassiliadis MSRV	Use with Novobiocin Antimicrobial Supplement. For detecting motile Salmonella in feces and food products.	500g	\$139.97
Difco	218581	Rappaport-Vassilidas R10 Broth	Selective enrichment of Salmonella from food, polluted water and other materials.	500g	\$95.45
BBL	298123	Regan-Lowe Charcoal Agar	Base With 10% horse blood for the isolation of Bordetella pertussis from clinical specimens	500g	\$186.38
Difco	218081	Reinforced Clostridial	Cultivation and enumeration of anaerobes, particularly Clostridia from foods and clinical specimens.	500g	\$105.21
Difco	232510	Riboflavin Assay Medium	Microbiological assay of riboflavin.	100g	\$79.38
BBL	211567	Rice Extract Agar	For the promotion of chlamyospore formation by Candida albicans and C. stellatoideae as a means to differentiate from other Candida species	100g	\$122.12
Difco	248020	Rogosa SL Agar	Selective cultivation of oral, vaginal and fecal lactobacilli.	500g	\$128.52
Difco	247810	Rogosa SL Broth	Selective cultivation of oral, vaginal and fecal lactobacilli.	500g	\$266.54
Difco	218312	Rose Bengal Agar Base	Use with Rose Bengal Antimicrobial Supplement C for selective isolation and enumeration of yeasts and molds from foods, dairy products and the environment.	500g	\$154.04
Difco	232281	Rosolic Acid	Use with m FC Broth Base and m FC Agar for detection and enumeration of fecal coliforms	6x1g	\$89.78
BBL	211383	RVP Broth	Used for the differentiation of bacteria by means of the methyl red and Voges-Proskauer reactions	500g	\$88.83
Difco	216300	RVP Medium	Used for the differentiation of bacteria by means of the methyl red and Voges-Proskauer reactions	500g	\$99.02
Difco	274710	Sabouraud Agar Modified	Modification of Sabouraud Dextrose Agar for the cultivation of pathogenic fungi.	2Kg	\$436.07
Difco	274720	Sabouraud Agar Modified	Modification of Sabouraud Dextrose Agar for the cultivation of pathogenic fungi.	500g	\$108.99
Difco	279720	Sabouraud Brain Heart Infusion Agar Base	Use with chloromycetin and blood (optional) in cultivation and isolation of pathogenic fungi.	500g	\$185.12
BBL	211584	Sabouraud Dextrose Agar	For cultivation of yeasts, molds and aciduric microorganisms.	500g	\$74.66
Difco	210940	Sabouraud Dextrose Agar	For cultivation of yeasts, molds and aciduric microorganisms.	100g	\$30.66
Difco	210930	Sabouraud Dextrose Agar	For cultivation of yeasts, molds and aciduric microorganisms.	10Kg	\$1,360.80
Difco	211661	Sabouraud Dextrose Agar	For cultivation of yeasts, molds and aciduric microorganisms.	2Kg	\$279.30
BBL	211585	Sabouraud Dextrose Agar	For cultivation of yeasts, molds and aciduric microorganisms.	5 Lbs	\$364.67
Difco	210950	Sabouraud Dextrose Agar	For cultivation of yeasts, molds and aciduric microorganisms.	500g	\$69.83
Difco	238220	Sabouraud Dextrose Broth	Cultivation of yeasts, molds and aciduric microorganisms.	100g	\$37.28
Difco	238210	Sabouraud Dextrose Broth	Cultivation of yeasts, molds and aciduric microorganisms.	2Kg	\$225.23
Difco	238230	Sabouraud Dextrose Broth	Cultivation of yeasts, molds and aciduric microorganisms.	500g	\$56.49

Difco	210986	Sabouraud Liquid Broth Modified	Determining antibiotic potency by the microbiological assay technique.	500g	\$299.78
Difco	211020	Sabouraud Maltose Agar	Cultivation of yeasts, molds and aciduric microorganisms.	500g	\$134.82
Difco	242910	Sabouraud Maltose Broth	Cultivation of yeasts, molds and aciduric microorganisms.	500g	\$213.23
Difco	217610	Saccharose Sucrose	Media Additive	500g	\$32.87
Difco	217720	Salicin	Media Additive	100g	\$492.98
BBL	211596	Salmonella Shigella Agar	Selective isolation of Salmonella and some Shigella species.	100g	\$47.25
BBL	211600	Salmonella Shigella Agar	Selective isolation of Salmonella and some Shigella species.	5 Lbs	\$545.90
BBL	211597	Salmonella Shigella Agar	Selective isolation of Salmonella and some Shigella species.	500g	\$110.99
Difco	271510	SBG Sulfa Enrichment	Selective enrichment for the isolation of Salmonella.	500g	\$331.15
BBL	212189	Schaedler Agar	For several media formulations used for the recovery of anaerobic microorganisms	500g	\$141.96
BBL	212191	Schaedler Broth	Used for the cultivation of fastidious aerobic and anaerobic microorganisms.	100g	\$54.50
Difco	212489	Select Soytone	Enzymatic digest of soybean meal	10Kg	\$1,801.17
Difco	212488	Select Soytone	Enzymatic digest of soybean meal	500g	\$101.17
Difco	227540	Selenite Broth	Selenite Broth Selective enrichment of Salmonella from foods.	500g	\$73.82
Difco	268710	Selenite Cystine Broth	Selective enrichment of Salmonella from food and water.	2Kg	\$319.62
Difco	268740	Selenite Cystine Broth	Selective enrichment of Salmonella from food and water.	500g	\$80.01
Difco	231510	SF Medium	Enterococcus faecalis medium for the detection of fecal streptococci from milk, water, sewage and feces.	500g	\$339.23
BBL	281110	SFP Agar Base	Use with Egg Yolk Enrichment 50%, Antimicrobial Vial P and Antimicrobial Vial K for detection and enumeration of C. perfringens in foods.	500g	\$133.67
BBL	211578	SIM Medium ium	Used to differentiate enteric bacilli on the basis of sulfide production, indole formation.	500g	\$94.19
BBL	211620	Simmons Citrate Agar	Used for the differentiation of gramnegative bacteria on the basis of citrate utilization.	500g	\$117.60
Difco	232100	Skim Milk	Differentiation of organisms based on coagulation and proteolysis of casein.	500g	\$31.29
Difco	224820	Sodium Desoxycholate	Sodium salt of desoxycholic acid used for the pneumococcus bile solubility test and as a media component.	100g	\$170.10
BBL	212081	Sodium Thioglycollate	Provide a low oxidation-reduction potential enabling the growth of obligate anaerobes. Reducing Agent	100g	\$112.67
Difco	217820	Soluble Starch	Media Additive	500g	\$54.50
Difco	217910	Sorbitol	Media Additive	500g	\$62.90
Bacto	243620	Soytone Peptone	Enzymatic hydrolysate of soybean meal	500g	\$82.87
Bacto	243610	Soytone Peptone	Enzymatic hydrolysate of soybean meal	10Kg	\$1,630.83
Difco	210810	Special Yeast & Mold Medium	Detection and enumeration of environmental fungi.	100g	\$339.23
Difco	295010	Spirit Blue Agar	Use with Lipase Reagent for enumeration and detection of lipolytic microorganisms	100g	\$121.91
Difco	295020	Spirit Blue Agar	Use with Lipase Reagent for enumeration and detection of lipolytic microorganisms	500g	\$276.68

BBL	211636	Spirolate Broth	Developed for mass culture of the Reiter treponeme in a medium without agar. It can be used for cultivating other spirochetes	500g	\$117.60
Difco	284530	SPS Agar	Selective enumeration of <i>C. perfringens</i> in foods	500g	\$140.81
Difco	274300	SS Agar	Selective isolation of Salmonella and some Shigella species.	10Kg	\$1,952.58
Difco	212118	SS Agar	Selective isolation of Salmonella and some Shigella species.	2Kg	\$400.68
Difco	274500	SS Agar	Selective isolation of Salmonella and some Shigella species.	500g	\$100.17
BBL	212455	Standard Methods Agar	Enumeration of bacteria in water, wastewater, food and dairy.	100g	\$51.87
BBL	211641	Standard Methods Agar	Enumeration of bacteria in water, wastewater, food and dairy.	5 Lbs	\$493.50
BBL	211638	Standard Methods Agar	Enumeration of bacteria in water, wastewater, food and dairy.	500g	\$100.59
Difco	229730	Staphylococcus Medium 110	Isolation and differentiation of pathogenic strains of Staphylococcus based on mannitol fermentation, pigment formation and gelatinase activity.	500g	\$90.72
Difco	272100	Starch Agar	Used for starch hydrolysis test.	500g	\$135.35
Difco	254100	Stock Culture Agar	Semisolid medium for the maintenance of bacteria, particularly streptococci.	500g	\$231.00
Difco	297210	Sulfite Agar	Detection of thermophilic anaerobes producing hydrogen sulfide, particularly in foods.	500g	\$219.69
Difco	227620	Supplement B with Reconstituting Fluid	Sterile enrichment for supplementing media for fastidious microorganisms.	100mL	\$363.46
Difco	227610	Supplement B with Reconstituting Fluid	Sterile enrichment for supplementing media for fastidious microorganisms.	6x10mL	\$187.11
Difco	252710	Supplement C	Sterile yeast concentrate for the isolation of fastidious microorganisms.	6x5mL	\$129.57
Difco	233541	Supplement VX with Reconstituting Fluid	Used for supplementing media to culture fastidious microorganisms, particularly Neisseria gonorrhoeae and Haemophilus influenzae.	6x10mL	\$158.97
Difco	233542	Supplement VX with Reconstituting Fluid	Used for supplementing media to culture fastidious microorganisms, particularly Neisseria gonorrhoeae and Haemophilus influenzae.	100mL	\$242.87
Difco	265020	TCBS Agar	For selective isolation and cultivation of <i>V. cholerae</i> and other enteropathogenic vibrios	500g	\$116.76
Difco	261710	Tellurite Glycine Agar	Use with Chapman Tellurite Solution 1% for selective isolation of coagulase positive staphylococci.	500g	\$153.72
BBL	211917	Tellurite Solution 1%	For isolating coagulase-positive staphylococci	20mL	\$31.19
Difco	223420	XLT4 Agar Base	XLT4 Agar Base is used with XLT4 Agar Supplement in isolating non-typhi Salmonella.	500g	\$141.75
Difco	235310	XLT4 Supplement	XLT4 Agar Supplement is added to inhibit growth of non-Salmonella organisms in XLT4 Agar base.	100mL	\$39.80
Difco	243820	Terrific Broth	Terrific Broth is a highly enriched medium developed by Tartoff and Hobbs to improve yield in plasmid-bearing <i>E. coli</i> . Recombinant strains have an extended growth phase in the medium	500g	\$53.87

Difco	210420	Tetrathionate Broth Base	Tetrathionate Broth Base, with added iodine-iodide solution, is used as a selective enrichment medium for the isolation of Salmonella from feces, urine, foods and other materials of sanitary importance.	2Kg	\$225.23
Difco	210430	Tetrathionate Broth Base	Tetrathionate Broth Base, with added iodine-iodide solution, is used as a selective enrichment medium for the isolation of Salmonella from feces, urine, foods and other materials of sanitary importance.	500g	\$56.49
Difco	249110	Tetrathionate Broth Base Hajna	Selective enrichment for Salmonella from food and dairy products.	2Kg	\$320.78
Difco	249120	Tetrathionate Broth Base Hajna	Selective enrichment for Salmonella from food and dairy products.	500g	\$80.33
Difco	275020	TGE Broth	Nonselective determination of bacterial counts by the membrane filter technique.	500g	\$150.99
Difco	232610	Thiamine Assay Medium	Microbiological assay of thiamine.	100g	\$70.14
Difco	280810	Thiamine Assay Medium LV	Microbiological assay of thiamine.	100g	\$76.44
Difco	236310	Thioglycollate Medium without Dextrose	Detection of a variety of microorganisms in normally sterile materials, especially those containing mercurial preservatives	500g	\$147.74
BBL	211716	Thioglycollate Medium Brewer	Used for the sterility testing of biologics and for the cultivation of anaerobes, aerobes and microaerophiles.	500g	\$94.92
Difco	243210	Thioglycollate Medium without Dextrose	Used as bases for fermentation studies of anaerobes, as well as for detecting microorganisms in normally sterile materials	500g	\$171.57
BBL	211720	Thioglycollate Medium without Indicator 135C	Detection of a variety of microorganisms in normally sterile materials, especially those containing mercurial preservatives.	500g	\$151.31
Difco	243010	Thioglycollate Medium without Indicator	For the recovery of a wide variety of microorganisms, particularly obligate anaerobes, from clinical specimens and other materials	500g	\$121.91
Difco	243420	Thiol Broth	Cultivation of microorganisms from blood and other body fluids containing penicillin, streptomycin or sulfonamides.	500g	\$258.41
Difco	278610	Tinsdale Base	For differential isolation of C. diphtheriae.	500g	\$222.93
Difco	234210	Tinsdale Enrichment	Enrichment used with Tinsdale Base for the differential isolation of C. diphtheriae.	6x15mL	\$145.38
Bacto	249220	Todd Hewitt Broth	Cultivation of group A streptococci, pathogenic microorganisms or as a blood culture medium	10Kg	\$1,963.50
Bacto	249210	Todd Hewitt Broth	Cultivation of group A streptococci, pathogenic microorganisms or as a blood culture medium	2Kg	\$402.99
Bacto	249240	Todd Hewitt Broth	Cultivation of group A streptococci, pathogenic microorganisms or as a blood culture medium	500g	\$100.80
Difco	211794	Tomato Juice Agar	Cultivation of lactobacilli.	500g	\$248.77
Difco	238910	Tomato Juice Agar Special	Detection of lactobacilli from saliva, enumeration of other acidophilic microorganisms	500g	\$484.62
Difco	251710	Tomato Juice Broth	Cultivation of yeasts and other aciduric microorganisms.	10Kg	\$7,269.23
Difco	251720	Tomato Juice Broth	Cultivation of yeasts and other aciduric microorganisms.	500g	\$379.62
BBL	211743	Transport Medium	Transport of bacteria and fungi including fastidious organisms.	500g	\$183.65

Difco	212225	Transport Medium Amies	Used for collecting, transporting and preserving microbiological specimens.	500g	\$118.86
Difco	218010	Trehalose	Media Additive	10g	\$100.80
Difco	287710	Trichophyton Agar 1	Used in the presumptive identification of Trichophyton species based on nutritional requirements.	500g	\$186.38
Difco	287410	Trichophyton Agar 2	Used in the presumptive identification of Trichophyton species based on nutritional requirements.	500g	\$186.38
Difco	296510	Trichophyton Agar 3	Used in the presumptive identification of Trichophyton species based on nutritional requirements.	500g	\$186.38
Difco	219710	Trichophyton Agar 4	Used in the presumptive identification of Trichophyton species based on nutritional requirements.	500g	\$183.96
Difco	252410	Trichophyton Agar 6	Used in the presumptive identification of Trichophyton species based on nutritional requirements.	500g	\$175.35
Difco	295510	Trichophyton Agar 7	Used in the presumptive identification of Trichophyton species based on nutritional requirements.	500g	\$516.92
BBL	211747	Trichosel Broth Modified	Used for the isolation and cultivation of Trichomonas species.	500g	\$244.86
Difco	226540	Triple Sugar Iron Agar	Identification of gram-negative bacteria based on dextrose, lactose and sucrose fermentation as well as hydrogen sulfide production.	500g	\$74.34
Difco	215240	Trypsin 1:250	1 part Trypsin 1:250 hydrolyzes 250 parts of peptide	100g	\$171.02
Difco	236940	Tryptic Soy Agar	Use with or without blood for the cultivation and	100g	\$33.50
Difco	236950	Tryptic Soy Agar	Use with or without blood for the cultivation and isolation of a variety of organisms. Use for sterility testing.	500g	\$63.32
Difco	236920	Tryptic Soy Agar	Use with or without blood for the cultivation and isolation of a variety of organisms. Use for sterility testing.	2Kg	\$252.42
Difco	236930	Tryptic Soy Agar	Use with or without blood for the cultivation and isolation of a variety of organisms. Use for sterility testing.	10Kg	\$1,229.03
Difco	227200	Tryptic Soy Blood Agar Base 2	Used with blood for improved beta-hemolytic reactions and for cultivation of fastidious microorganisms.	10Kg	\$1,338.54
Difco	227300	Tryptic Soy Blood Agar Base 2	Used with blood for improved beta-hemolytic reactions and for cultivation of fastidious microorganisms.	500g	\$84.63
Difco	228200	Tryptic Soy Blood Agar Base EH	Used with blood for enhanced reactions of beta-hemolytic organisms after overnight incubation and for cultivation of fastidious microorganisms	10Kg	\$2,964.23
Difco	228300	Tryptic Soy Blood Agar Base EH	Used with blood for enhanced reactions of beta-hemolytic organisms after overnight incubation and for cultivation of fastidious microorganisms	500g	\$161.54
Bacto	211824	Tryptic Soy Broth	Used in qualitative procedures for the cultivation of fastidious and nonfastidious microorganisms from a variety of clinical and nonclinical specimens.	100g	\$26.78

Bacto	211823	Tryptic Soy Broth	Used in qualitative procedures for the cultivation of fastidious and nonfastidious microorganisms from a variety of clinical and nonclinical specimens..	10Kg	\$777.00
Bacto	211822	Tryptic Soy Broth	Used in qualitative procedures for the cultivation of fastidious and nonfastidious microorganisms from a variety of clinical and nonclinical specimens..	2Kg	\$159.71
BBL	211299	Trypticase Nitrate Broth	For the detection of nitrate reduction to nitrite	500g	\$153.46
BBL	211923	Trypticase Peptone	Pancreatic digests of casein.	25 Lbs	\$2,423.78
BBL	211921	Trypticase Peptone	Pancreatic digests of casein.	454g	\$107.63
BBL	211922	Trypticase Peptone	Pancreatic digests of casein.	5 Lbs	\$483.58
BBL	211047	Trypticase Soy Agar	Use with or without blood for the cultivation and isolation of a variety of organisms. Use for sterility testing.	25 Lbs	\$1,635.38
BBL	211046	Trypticase Soy Agar	Use with or without blood for the cultivation and isolation of a variety of organisms. Use for sterility testing.	5 Lbs	\$335.79
BBL	211043	Trypticase Soy Agar	Use with or without blood for the cultivation and isolation of a variety of organisms. Use for sterility testing.	500g	\$68.78
BBL	212305	Trypticase Soy Agar Modified	Supplementad with blood is used for cultivating fastidious microorganisms and for the hemolytic reactions produced by many bacterial species	500g	\$74.45
BBL	296264	Trypticase Soy Broth Sterile	Nutritious medium that will support the growth of a wide variety of microorganisms, including common aerobic, facultative and anaerobic bacteria and fungi.	500g	\$130.10
BBL	211772	Trypticase Soy Broth USP / EP	Nutritious medium that will support the growth of a wide variety of microorganisms, including common aerobic, facultative and anaerobic bacteria and fungi. Conforms with specifications of The United States Pharmacopeia (USP).	25 Lbs	\$985.32
BBL	211771	Trypticase Soy Broth USP / EP	Nutritious medium that will support the growth of a wide variety of microorganisms, including common aerobic, facultative and anaerobic bacteria and fungi. Conforms with specifications of The United States Pharmacopeia (USP).	5 Lbs	\$206.12
BBL	211768	Trypticase Soy Broth USP / EP	Nutritious medium that will support the growth of a wide variety of microorganisms, including common aerobic, facultative and anaerobic bacteria and fungi. Conforms with specifications of The United States Pharmacopeia (USP).	500g	\$43.16
Bacto	211701	Tryptone	Enzymatic digest of casein.	10Kg	\$2,112.52
Bacto	211699	Tryptone	Enzymatic digest of casein.	2Kg	\$469.35
Bacto	211705	Tryptone	Enzymatic digest of casein.	500g	\$90.14
Difco	223000	Tryptone Glucose Extract Agar	Cultivation of bacteria in water, milk and other dairy products.	500g	\$127.37
Difco	264410	Tryptone Water	For detecting E. coli in food and water samples on the basis of indole production.	500g	\$201.93
Bacto	211709	Tryptose	an enzymatic digest of protein	10Kg	\$3,709.37
Bacto	211713	Tryptose	an enzymatic digest of protein	500g	\$212.54
Difco	264100	Tryptose Agar	Cultivation of Brucella and a large variety of pathogenic organisms.	2Kg	\$417.90

Difco	264300	Tryptose Agar	Cultivation of Brucella and a large variety of pathogenic organisms.	500g	\$104.58
Difco	223210	Tryptose Blood Agar Base	Infusion free medium used with blood for isolation and cultivation of fastidious microorganisms as well as determination of hemolytic reactions.	2Kg	\$438.17
Difco	223220	Tryptose Blood Agar Base	Infusion free medium used with blood for isolation and cultivation of fastidious microorganisms as well as determination of hemolytic reactions.	500g	\$109.62
Difco	262100	Tryptose Broth	Cultivation of Brucella and a variety of pathogenic microorganisms.	10Kg	\$1,592.85
Difco	262200	Tryptose Broth	Cultivation of Brucella and a variety of pathogenic microorganisms.	500g	\$81.90
Bacto	260100	Tryptose Phosphate Broth	For cultivation of fastidious microorganisms	2Kg	\$235.52
Bacto	260300	Tryptose Phosphate Broth	For cultivation of fastidious microorganisms	500g	\$70.25
BBL	211690	TSN Agar	Selective isolation of Clostridium perfringens	500g	\$146.27
BBL	264310	TTC	TTC Solution 1% is used as a redox indicator in culture media for differentiating bacteria. It is colorless in the oxidized form and is reduced to insoluble red triphenylformazan by suitable bacterial reducing systems. The formation of the insoluble formazan is an irreversible reaction. Once a microorganism reduces the indicator the red color persists.	25g	\$127.16
Difco	231121	TTC Solution 1%	Media Additive	30mL	\$38.54
Difco	231181	Tween 80	Media Additive	100mL	\$21.42
Bacto	285610	UBA Medium	Cultivation of microorganisms significant in the brewing industry.	500g	\$107.52
Difco	223510	Universal Preenrichment Broth500g	For simultaneous preenrichment of sub-lethally injured Listeria and Salmonella.	500g	\$66.78
BBL	211795	Urea Agar Base	Detection of urease producing bacteria	500g	\$94.19
Difco	227210	Urea Broth	Detection of urease producing bacteria	500g	\$72.24
Difco	222320	UVM Modified Listeria Enrichment Broth	Selective enrichment for culturing L. monocytogenes.	10Kg	\$1,786.79
Difco	222310	UVM Modified Listeria Enrichment Broth	Selective enrichment for culturing L. monocytogenes.	2Kg	\$376.43
Difco	222330	UVM Modified Listeria Enrichment Broth	Selective enrichment for culturing L. monocytogenes.	500g	\$99.12
BBL	212269	V-C-A Inhibitor	Used for lyophilized preparations containing inhibitory agents to be used in selective media for culturing N. gonorrhoeae and N. meningitidis. Antibiotic mixture of Vancomycin, Colistin and Anisomycin, lyophilized	10x10mL	\$462.89
BBL	212404	V-C-A-T Inhibitor	Used for lyophilized preparations containing inhibitory agents to be used in selective media for culturing N. gonorrhoeae and N. meningitidis. antibiotic mixture of Vancomycin, Colistin, Anisomycin and Trimethoprim, lyophilized	10mL	\$455.54
BBL	212228	V-C-N Inhibitor	Contains the antimicrobial agents, vancomycin, colistin and nystatin to suppress the normal flora.	10x10mL	\$141.02
BBL	212227	V-C-N Inhibitor	Contains the antimicrobial agents, vancomycin, colistin and nystatin to suppress the normal flora..	10x2mL	\$122.12

BBL	212408	V-C-N-T Inhibitor	V-C-N-T Inhibitor contains the same antibiotic mixture as V-C-N Inhibitor with the addition of trimethoprim to improve recovery of pathogenic Neisseria by increasing selectivity of isolation media.	10mL	\$167.37
Difco	234310	Veal Infusion Agar	Cultivation of fastidious organisms.	500g	\$253.47
Difco	234410	Veal Infusion Broth	Cultivation of fastidious organisms.	10Kg	\$4,347.11
Difco	234420	Veal Infusion Broth	Cultivation of fastidious organisms.	500g	\$223.13
Difco	211687	Violet Red Bile Agar	Selective isolation of coliform bacteria from dairy products and food.	2Kg	\$348.81
Difco	211695	Violet Red Bile Agar	Selective isolation of coliform bacteria from dairy products and food.	500g	\$87.36
Difco	229100	Violet Red Bile Agar with Mug	Selective isolation of coliform bacteria and fluorogenic detection of E. coli from food and dairy products.	500g	\$334.01
Difco	218661	Violet Red Bile Glucose	A selective medium containing glucose for the detection and enumeration of Enterobacteriaceae from food and dairy products.	500g	\$125.79
Difco	236010	Vitamin B12 Assay Medium	Microbiological assay of Vitamin B12.	100g	\$72.35
Bacto	256220	Vogel Johnson Agar	Isolation of coagulase-positive mannitol-fermenting S. aureus from clinical or food specimens.	500g	\$129.68
Difco	218051	Wilkins-Chalgren Agar	Susceptibility testing of anaerobic bacteria by the agar diffusion method.	500g	\$149.21
Difco	242510	WL Differential Medium	Inhibits growth of yeasts and molds, used in microbiological control processes of the fermentation industry.	500g	\$89.57
Difco	247110	WL Nutrient Broth	Cultivation of yeasts, molds and bacteria encountered in brewing and industrial fermentation processes.	500g	\$99.75
Difco	242420	WL Nutrient Medium	Cultivation of yeasts, molds and bacteria encountered in brewing and industrial fermentation processes.	500g	\$102.48
Difco	211671	Wort Agar	Cultivation and enumeration of yeasts.	500g	\$109.94
BBL	211836	XL Agar Base	Isolation, differentiation and enumeration of enteric bacteria.	500g	\$183.33
Difco	278830	XLD Agar	Selective differential medium for the isolation of Shigella and Providencia from stools.	10Kg	\$2,488.82
Difco	278820	XLD Agar	Selective differential medium for the isolation of Shigella and Providencia from stools.	2Kg	\$510.83
Difco	278850	XLD Agar	Selective differential medium for the isolation of Shigella and Providencia from stools.	500g	\$134.19
Difco	223410	XLT4 Agar Base	Used with XLT4 Supplement as a selective differential medium for isolation of Salmonella	10Kg	\$2,395.05
Difco	223420	XLT4 Agar Base	Used with XLT4 Supplement as a selective differential medium for isolation of Salmonella	500g	\$141.75
BBL	218110	Xylose	Media Additive	25g	\$51.77
Difco	239110	Yeast Carbon Base	Wickerham formula, classification of yeasts based on nitrogen assimilation.	100g	\$54.18
Bacto	212750	Yeast Extract	Water-soluble extract of autolyzed yeast cells suitable for use in culture media.	500g	\$100.61
Bacto	212720	Yeast Extract	Water-soluble extract of autolyzed yeast cells suitable for use in culture media.	2Kg	\$405.75
Bacto	212730	Yeast Extract	Water-soluble extract of autolyzed yeast cells suitable for use in culture media.	10Kg	\$1,976.70

Bacto	212710	Yeast Extract	Water-soluble extract of autolyzed yeast cells suitable for use in culture media.	50Kg	\$9,945.37
Difco	219001	Yeast Extract Glucose Chloramphenicol Agar	Selective agar, recommended by the International Dairy Federation for the enumeration of yeasts and molds.	500g	\$80.54
Bacto	288620	Yeast Extract Technical	Water soluble portion of autolyzed yeast Source of Vitamin B complex.	500g	\$52.99
Bacto	288610	Yeast Extract Technical	Water soluble portion of autolyzed yeast Source of Vitamin B complex.	10Kg	\$1,016.00
Difco	277010	Yeast Malt Ext Agar	used for characterizing Streptomyces species according to the International Streptomyces Project (ISP)	500g	\$202.23
Difco	271210	Yeast Mold Agar	Cultivation of yeasts, molds and other aciduric microorganisms.	500g	\$167.79
Difco	271120	Yeast Mold Broth	Cultivation of yeasts, molds and other aciduric microorganisms.	500g	\$130.20
Difco	239320	Yeast Morphology Agar	Wickerham formula, classification of yeasts based on colonial characteristics and cell morphology	500g	\$172.31
Difco	239210	Yeast Nitrogen Base	Wickerham formula, classification of yeasts based on carbon assimilation.	100g	\$61.01
Difco	291940	Yeast Nitrogen Base without Amino Acids	Wickerham formula, classification of yeasts based on amino acid and carbohydrate requirements	100g	\$95.45
Difco	233520	Yeast Nitrogen without Amino Acids & Ammonium Sulfate	Wickerham formula, classification of yeasts based on nitrogen and carbon requirements.	100g	\$96.29
Difco	233510	Yeast Nitrogen without Amino Acids & Ammonium Sulfate	Wickerham formula, classification of yeasts based on nitrogen and carbon requirements.	10Kg	\$4,263.00
Difco	291930	Yeast Nitrogen without Amino Acids	Wickerham formula, classification of yeasts based on amino acid and carbohydrate requirements	10Kg	\$4,440.24
Difco	291920	Yeast Nitrogen without Amino Acids	Wickerham formula, classification of yeasts based on amino acid and carbohydrate requirements	2Kg	\$914.97
Difco	255772	Yeastolate TC	For use in tissue culture	100g	\$54.09
Difco	218172	Yersinia Selective Agar	Use with Antimicrobial Supplement CN for selective isolation of <i>Y. enterocolitica</i> .	500g	\$126.42
Difco	231961	Yersinia Supplement C	Selective enrichment for the isolation of <i>Y. enterocolitica</i> .	6x10mL	\$77.07

## BACTO DIFCO and BBL MICROBIOLOGY PRODUCTS

*sold worldwide by*

### VOIGT GLOBAL DISTRIBUTION INC

PO Box 1130, Lawrence Kansas 66044 USA

Toll Free in the USA: 877-484-3552 or 1.785.393.8509

If sending a fax, please include your e-mail: E-Fax: 1-913-273-0458

USA Toll Free Fax: 877-484-3554

Outside the USA? Please use e-mail for quotations and tech support

[sales@VGDUSA.com](mailto:sales@VGDUSA.com)

[sales@VGDLLC.COM](mailto:sales@VGDLLC.COM)

[WWW.VGDLLC.COM](http://WWW.VGDLLC.COM)

Prices on this spreadsheet are the 2011-2012 USA list prices and do not include shipping charges. Your price may be less according to your order volume, University discount or reseller agreement with us.